Journal of the American College of Cardiology
© 2002 by the American College of Cardiology Foundation
Published by Elsevier Science Inc.

Vol. 39, No. 12, 2002
ISSN 0735-1097/02/$22.00
PII S0735-1097(02)01933-2

Author Index: Volume 39

Aaberge L, 1588
Aaronson KD, 1247
Abdelnoor M, 1588
Abdo A, 970
Abdul-Karim A, 1046
Abere P, 1701
Abeytua M, 598
Abraham TP, 1531
Acar P, 1664
ACC–NCDR, 1096, 1104
Achilli F, 1275
Ackerman MJ, 2042
Adachi K, 295
Adam A, 148, 1692
Adamopoulos S, 653
Adams KF Jr, 946
Adams V, 1175
Addad F, 1680
Adgey AAJ, 377
Afridi I, 1356
Aggeli C, 1468
Agler DA, 308
Ahmed LM, 578
Aiba T, 1984
Aihara N, 1799, 1984
Air PAMI Study Group, 1713
Ajani AE, 1290, 1930, 1937
Al-Ahmad MJSA, 1704
Alber HF, 1951
Albertal M, 1513
Al-Bustami MH, 573
Aldea GS, 565
Alexander ME, 1827
Al-Hesayen A, 1269
Al-Khalidi A-H, 102
Allman KC, 1151
Almeda FQ, 1404
Al-Mubarak N, 841
Alter DA, 1909
Altiok E, 443
Alves MJNN, 676
Amatruda J, 83
Ambrose JA, 1758
Ambrosio G, 878
Amin N, 695
Amplatzer Investigators, 1836
Amrani M, 573
Anagnostopoulos C, 1901
Anagnostopoulos P, 2069
Anand IS, 1414
Anderson HV, 1096, 1104
Anderson JL, 30, 632
Anderson RH, 1670
Anderson TJ, 257
Angeli F, 878
Anker SD, 1703, 1901
Annex BH, 1170, 1220
Ansalone G, 489
Ansari AA, 978
Antakli T, 266
Antonielli E, 1443
Antz M, 500
Antzelevitch C, 1996
Anzai T, 241
Anzuini A, 393
Aoyama T, 1384
Arbustini E, 981
Ardissino D, 22
Aretz HT, 604
Armsby LR, 1026
Armstrong PW, 22, 1738
Arruda-Olson AM, 625
Arterial Pulmonary Hypertension and Beraprost European Trial (ALPHABET) Study Group, 1496
Asakura Y, 241
Asanoi H, 436
Asher CR, 1356
Asirvatham SJ, 1808
Auer J, 918, 1878
Auricchio A, 1163, 2026
Aurigemma GP, 664, 1380
Austin PC, 1909
Avkiran M, 747
Aydin MA, 617
Azevedo ER, 1269
Azuma A, 1657

Baccante G, 1752
Bache RJ, 1773
Backx B, 393
Badimon JJ, 1366
Baguet J-P, 1020
Bahr RD, 231
Baim DS, 1, 1720
Baker CM, 1258
Bakker P, 2026
Baklanov DV, 1220
Balcon R, 559
Baldauf G, 1175
Baldini E, 981
Balestrini C, 1713
Bando K, 288
Banerjee P, 138
Banerjee T, 138
Bank AJ, 1773
Barbiere C, 266
Barbosa V, 702
Bardy GH, 1956
BARI Investigators, 834
Barkhausen J, 1392
Barnes E, 420
Barolet A, 991
Barrabés JA, 157
Barretto ACP, 676
Bartel T, 2012
Bartling B, 481
Bartorelli AL, 387
Bartosch PM, 1323
Barua RS, 1758
Bash D, 1046
Bashir M, 1356
Bashore TM, 328
Bassignana A, 1443
Bauer F, 308
Bauersachs J, 351
Baumann G, 646
Baumgart D, 2012
Baumgartner H, 1066
Behar S, 1133
Beheiry S, 1046
Belhassen L, 1139
Bell MR, 1113
Beller GA, 1242, 1708
Bellone P, 301
Belohlavek M, 1531
Benditt DG, 1323
Benedict CR, 70
Benit E, 393
Benjamin EJ, 257
Bentivoglio M, 878
Berent R, 918, 1878
Berger J, 617
Berger PB, 9, 1113, 1881
Bergman P, 918
Bergmeier C, 1436
Bergsland J, 555, 917
Bertrand ME, 9
Berul CI, 1827
Bessard H, 554
Besse B, 1496
Best PJ, 1555
Best PJM, 1113
Bevilacqua LM, 1827
Beyar R, 558
Beyersdorf F, 1764
Bhargava B, 1686
Bhatt DL, 9
BiCard Investigators, 1956
Bijsterveld NR, 811
Bin JP, 523
Bing RJ, 521
Bini RM, 1061
Birjiniuk V, 266
Biro S, 754
Biswas SS, 1220
Blackstone EH, 1356
Blais C Jr, 1692
Blanco J, 157
Blankestijn PJ, 683
Block M, 2026
Block PC, 1096, 1104
Blomhoff S, 1588
Bloomfield DM, 1820
Böcker D, 2026
Bode C, 1189
Boden WE, 1456, 1601
Boden-Albala B, 1482
Boer C, 1630
Boersma E, 1513, 1924
Böhm M, 1508
Bolger AF, 1212
Bolger AP, 1901
Bond M, 804
Bongioanni S, 301
Bonhoeffer P, 1664
Bonow RO, 1159, 1242
Bonser RS, 102
Bonzano A, 1443
Booth D, 266
Borenstein J, 1780
Bossone E, 1061
Bothe W, 1764
Boudjemline Y, 1664
Boulay A, 695
Bouma BE, 604
Boura J, 1713
Bowles NE, 892
Boyko V, 1133
Braga AMFW, 676
Brandão Rondon MUP, 676
Brandt A, 1436
Brandts B, 689
Brasch AV, 124
Braun MU, 2019
Braunwald E, 1450
Breeman A, 559
Brener SJ, 377
Brennan C, 841
Brennan FJ, 742
Bressers M, 393
Brindis RG, 1096, 1104
Brinker JA, 471
Brodman RF, 1973
Brooks MM, 1608
Brosh D, 1012
Bruce CJ, 509
Bruining N, 281
Brundage BH, 408
Bryce A, 181
Bryson CC, 2034
Buchwald AB, 732
Bucknall CA, 1917
Budoff MJ, 408
Buffolo E, 559
Bui AB, 1937
Büll U, 443
Büller HR, 811
Burger KN, 1345
Buring JE, 49
Burke SK, 695
Burns M, 500
Burns RJ, 30
Buser P, 702
Busse MW, 1175
Butera G, 1061

Cabestrero F, 818
Caforio ALP, 455
Caldwell EJ, 1214
Caldwell RW, 1199
Califf RM, 22, 1738, 1924
Calori G, 413
Calvin JE, 1404
Cameron JD, 1020, 1637
Camici PG, 420
Campana C, 981
Cannon CP, 1720
Cannon RO III, 46
Cantor WJ, 1738, 1852
Capewell S, 760
Cappato R, 500
Capra A, 1275
Carabello BA, 1364
Carella R, 1845
Carlson M, 1956
Carminati M, 1061
Carr AA, 1314
Carville C, 1139
Casey SA, 301
Casscells W, 1305
Castagna MT, 1937
Castelain V, 743
Castro VJ, 181
Cavallini C, 22
Cecchi F, 301
Celermajer D, 257
Celermajer DS, 1943
Cha D-H, 1290
Chai J-W, 342
Chamuleau SAJ, 852
Chan P, 366
Chan R, 1937
Chandra NC, 231
Chang M-S, 366
Chang SM, 1468
Chaouat A, 1496
Chappell JC, 726
Charbonneau F, 257
Chasan-Taber S, 695
Chaudhry PA, 2069
Cheema AN, 1852
Chemia D, 743
Chen S-A, 366
Chen Y-C, 366
Chen Y-J, 366
Cheng TO, 1564
Chertow GM, 695
Chessa M, 1061
Chester AH, 573
Chi C-S, 342
Chierchia S, 413
Chimenti C, 1405
Chiu-Tsao S-T, 1937
Choi K-B, 604
Choi K-J, 1337
Chou T-F, 871
Christ M, 351
Christenson RH, 1738
Christiansen JP, 530
Chuang ML, 1055
Chugh SK, 1702
Chung ES, 664
Cioffi M, 1145
Clanachan AS, 718
Clanon DA, 1708
Clark AL, 138
Clayton LM, 1214
Cleland JGF, 138
Clément R, 1692
Clémenty J, 1337
Cleveland TJ, 841
Click RL, 1345
Cloptom P, 202
Clozel J-P, 142
Clozel M, 142
Coates K, 1503
Coats AJS, 653, 1901
Cobaugh M, 393
Cockcroft JR, 1005
Cole C, 1046
Coleman RE, 1220
Collins C, 1623
Collins KK, 1827
Colombo A, 393, 841
Condorelli M, 1701
Conte MR, 301
Cook DJ, 970
Coote J, 102
CORE Study Investigators, 30
Coronel R, 166
Corretti MC, 257
Corti R, 1366
Corvaja N, 841
Cosgriff R, 231
Coutu SNSB, 2034
Cracowski J-L, 554
Creager MA, 257
Cremer J, 617
Crispell KA, 1503
Crombie P, 83
Crow JW, 1214
Crowe T, 970
Crozier IG, 1182
Csanády M, 1443
Cuccurullo F, 1752
Curley MG, 509
Cusack MR, 1917

Da Col P, 1845
Dalzell GW, 1956

Dambrink J-HE, 1733
Dan D, 1039
Dangas G, 9, 274, 591, 1686, 1706
Danias PG, 2059
Darmer D, 481
Dart AM, 1020, 1637
Das MK, 1973
Date M-o, 907
Daubeney PEF, 1670
David S, 387
Davie AP, 1565
Davies MJ, 455
Dawkins K, 393
de Andrés R, 818
de Boer M-J, 1723, 1733
de Boisblanc B, 1214
de Cock CC, 852, 1283
de Frutos T, 818
de Jong A, 852
de Jonge N, 963
De la Calle-Lombana LM, 818
de Muinck ED, 852
de Santis D, 1701
De Simone A, 916
de Simone G, 2005
de Valk V, 559
de Weger RA, 963
Deanfield J, 257
Death AK, 1943
DEBATE II Investigators, 1513
Debatin JF, 1392
Deckers JW, 1924
Deedwania P, 1456
Deen V, 896
deFeyter PJ, 281
DeGrado TR, 1220
deGroot JR, 166
Deible R, 578
Deisenhofer I, 1337
Delany DJ, 1670
Delcroix M, 1496
Delius W, 864
Dell'Italia LJ, 1374
Delnevo F, 1443
DeLurgio DB, 1258
DeMaria AN, 1546
Demers C, 463
Demus D, 999
Deneke T, 1644
Deng MC, 1508
Desai KJ, 274
Desnos M, 1680
Detre KM, 565, 1608
DeVoe MC, 1758
Dewald O, 1468
Dhein S, 1709
Di Febbo C, 1752
Di Nisio M, 1752
Di Tullio MR, 1482
Dichtl W, 1951
Dickstein E, 1366
Diegoli M, 981
Dijkgraaf MGW, 852
Dillon M, 695
Dillon SR, 1374
DiMarco JP, 1964
Ding J, 1163
Dixon SR, 387
Docherty JC, 718
Doenst T, 1764
Doi Y, 2000
Donias HW, 555, 917
Doughty RN, 1787
Drago M, 1061
Drayer B, 1366
Dresing T, 1046
Drexler H, 257
Drinko JK, 308
Drogaris K, 481
Drögemüller A, 1436
Druz RS, 1708
Du Z-D, 1836
Dulak J, 1951
Dumas P, 15
Dupouy P, 1139
Durand E, 1680
Duscha BD, 1170
Dutka DP, 420
Duval-Moulin A-M, 1139
Dyke DB, 1247

Eagle KA, 542
Eales-Reynolds L-J, 1758
Eber B, 918, 1878
Ebert W, 1392
Eckberg DL, 1039
Edelman RR, 1055
El Jamal B, 916
Elad Y, 826
Eldar M, 1127
Elefteriades JA, 180
Elkayam U, 798
Ellenbogen KA, 1039
Elliott J, 1182
Elliott PM, 455, 2049
Ellis SG, 9, 377
Elsässer A, 1189
Emala CW, 2069
Emmett L, 991
Emori T, 1992
Entman ML, 1468
Eppinger MJ, 1247
Epstein AE, 109
Erbel R, 2012
Eriksson MJ, 638
Ernst N, 1733
Ernst S, 500
Ernst SMPG, 1297
Erren M, 1508
Ertl G, 351
Eschert H, 1508
Espada R, 1468
Espiner EA, 1182
Esposito K, 1145
Esposito R, 266, 556
Ettinger NA, 1214
Every NR, 826

Fabbiocchi F, 387
Fahy M, 274, 1706
Failla M, 1275
Fallon JT, 1366
Farquharson CAJ, 767
Farré J, 818
Farrell B, 1199
Fassbender D, 2019
Faxon DP, 1608
Fayad ZA, 1366
Fazio S, 90
Fedele F, 489
Fein SA, 1314
Feinberg MS, 1127
Felix SB, 646
Felker GM, 210
Fenkall L, 1852
Fenrich AL Jr., 517
Fernández C, 1204, 1489
Ferrier KE, 1020
Fetics BJ, 2052
Fisher L, 1414
Fisher NG, 523, 530
FitxGerald GA, 554
Fleck E, 2034
Flesch M, 1508
Florea VG, 1414
Flygenring BP, 301
Foley DP, 281, 393, 559
Fonarow GC, 1563, 1780
Forbess JM, 1026
Forfang K, 1588
Forman S, 231, 471
Fotuhi P, 500
Fowler MB, 70
Fox KM, 428
Fraccarollo D, 351
Fragasso G, 413
Frampton C, 1182
Frangogiannis NG, 1468
Franke A, 1283
Franzosi MG, 1594
Frassani R, 1845
Freeman MR, 991
French WJ, 826
Frenneaux MP, 1005
Frick M, 1951
Friedman PA, 1808
Friedman RA, 517
Frigiola A, 1061
Fromer M, 1813
Frustaci A, 1405
Fu M, 1866
Fu Y-C, 342
Fuchs S, 578
Fujii K, 585
Fujimoto Y, 1992
Fujiwara H, 1229
Fukuo K, 585
Furman MI, 557
Fuster V, 1242, 1366
Fye WB, 1238, 1699, 1876, 2077

Gaasch WH, 664, 1380
Gabriel HM, 1066
Gaines PA, 841
Galeano EJ, 295
Galiè N, 1496
Gallik D, 1956
Galvani M, 22
Gamble GD, 1787
Gandolfo N, 1443
García E, 598
García R, 818
Garcia-Dorado D, 157
García-Fernández M-A, 598
García-Mendéz A, 818
Gardner L, 22
Garniek A, 1127
Garratt KN, 1881
Gatzka CD, 1637
Gavazzi A, 981
Gelsomino S, 1845
Geng Y-J, 1305
Georgiadis M, 653
Gerhard-Herman M, 257
Gersch C, 1468
Gersh BJ, 1881, 2042
Gerstenblith G, 231, 471
Geva T, 335
Ghali JK, 798
Gheorghiade M, 946
Giamberti A, 1061
Giannantoni P, 489
Giannattasio C, 1275
Giardina E-GV, 1083
Gibbons RJ, 30, 1475
Gibson PB, 999
Gielen S, 1175
Gildein HP, 335
Gilligan DM, 1039
Giugliano D, 1145
Giugliano G, 1145
Glantz SA, 943
Glikson M, 1808
Glogar D, 400
Gmelig-Meyling FHJ, 963
Gohman TE, 301
Goldbourt U, 1133
Goldstein JA, 1464
Gómez J, 818
González Pinto A, 1204
Gosselin H, 1692
Gottdiener JS, 744
Gottlieb SH, 471
Gottsauner-Wolf M, 400
Goya M, 500
Goyal A, 1601
Graham M, 1713
Granger CB, 22
Grasso M, 981
Graupner C, 1204, 1489
Green HJ, 1170
Greenberg JM, 1258
Greenberg NL, 308
Greil GF, 335
Grewe PH, 1644
Grice S, 1808
Grimm W, 780
Grinberg I, 387
Grines CL, 1713
Grines LL, 1713
Grosse Y, 646
Grover F, 266
Gruber N, 1443
Gruberg L, 578, 1290, 1930
Guardasole V, 90
Gueret P, 1139
Guérot C, 1680
Gunning MG, 428
Guo B, 1305
Gupta RC, 2069
Gurm HS, 834
GUSTO-IIb Investigators, 22
Güthlin M, 864
Gyöngyösi M, 400

Ha J-W, 323
Haalebos MMP, 559
Haass M, 1615, 2019
Hachamovitch R, 1151
Hadjinikolaou L, 918
Haefilger J-A, 1709
Haim M, 1133
Haines DE, 1964
Haïssaguerre M, 1337
Haji SA, 970
Hak AE, 1745
Hall C, 1623
Hall IR, 1005
Hall RJC, 420
Halmai L, 1443
Halperin B, 1956
Hambrecht R, 1175
Hamburger JN, 281
Hamilton MA, 1563, 1780
Hamilton RM, 130
Hammill SC, 1808
Hamraoui K, 1297
Hankes GH, 1374
Hanlon JT, 1713
Hanrath P, 443, 1283, 2034
Hanson EL, 1503
Hanyok JJ, 2034
Harrington RA, 1924
Harrison A, 202
Harrison JK, 328
Harrison LB, 1937
Hasselblad V, 919, 1738
Hatanaka Y, 585
Haudenschild C, 1686
Haunstetter A, 1615
Haven AJ, 455
Haverich A, 617
Haviland A, 1608
Hayashi J, 610
Hayashi M, 957
Hebe J, 500
Heck M, 351
Hecker M, 732
Hefter G, 471
Heger M, 1066
Heher S, 251
Henderson W, 266, 556
Herrington D, 257
Herrmann J, 1555
Hershberger RE, 1503
Herskowitz A, 978
Hervé P, 743
Hess N, 702
Hess P, 142
Heussen N, 443, 1283
Hewitt K, 1096, 1104
Heywood JT, 2034
Higano ST, 1012
Higashino Y, 585
Higashiyama A, 1546
Higuchi Y, 907
Hijazi ZM, 1836
Hijmering ML, 683
Hikosaka T, 1657
Hildemann SK, 351
Hill NS, 1214
Hinderliter AL, 1214
Hino J, 288
Hirai T, 436
Hiramatsu Y, 1072
Hirano R, 919
Hirotani S, 907
Ho KKL, 1
Ho SY, 500
Hoag JB, 1039
Hocini M, 1337
Hodge DO, 1475
Hoeper M, 1496
Hoersch W, 1163
Hoffman JIE, 1890
Hoffmann J, 780
Hoffmann R, 443, 1283
Hofman A, 1745
Hogg JC, 935
Holleran S, 1820
Holmes DR, 9
Holmes DR Jr, 1012, 1555, 1608, 1881
Holmes DR Jr., 1113

Holtz J, 481
Homma S, 1482
Hoorntje JCA, 1723, 1733
Hori M, 907
Horigome H, 1072
Horio T, 288
Hornberger LK, 130, 348
Horne BD, 632
Horton DP, 798
Horwich TB, 1563, 1780
Hosaka Y, 1120
Houghton JL, 1314
Houser SL, 604
Hudson W, 999
Hughes GC, 1220
Humbert M, 1496
Hunziker PR, 702
Hurst JW, 1878
Husain M, 991
Huth C, 2026
Hutten BA, 683
Hwang B, 342
Hwang G-S, 1329

Ibrahim T, 864
Ideker RE, 109, 359
Idikio H, 1538
Iglesias del Sol A, 1745
Ikeda Y, 754
Ikram H, 2034
Ilsley CJ, 573
Imamura M, 754
Imran MB, 1443
Imsand C, 702
Inagaki M, 1984
Innerhofer P, 1066
Inoue H, 436
InSync 7272 ICD World Wide Investigators, 790
Intermediate Lesions: Intracoronary Flow Assessment versus ^{99m}Tc-MIBI SPECT (ILIAS) Investigators, 852
Intermountain Heart Collaboration Study Group, 632
INTRO AMI Investigators, 377
Investigators of the Department of Veterans Affairs Cooperative Study #385, the Angina With Extremely Serious Operative Mortality Evaluation (AWESOME), 266
Ioannidis JPA, 2059
Iserin L, 1664
Ishida A, 295
Ishihara H, 1264
Ishikawa S, 241
Ito M, 1120
Itoh E, 1120
Iuliano L, 554
Ivanc TB, 377
Iversen P, 1686
Iwai S, 1973
Iwami T, 124
Iwanaga Y, 1384
Iwanochko RM, 991
Iwase M, 1264
Iyer S, 1686
Iyer SS, 841
Izawa H, 1264

Jaarsma T, 2080
Jaarsma W, 1297
Jacobs AK, 1608
Jaeggi ET, 130
Jahanghir A, 1808
Jaïs P, 1337
Jan S-L, 342
Jang I-K, 604
Januzzi JL Jr, 1518
Jayaweera AR, 530
Jenni R, 450
Jennings GL, 1020
Jeon D-S, 124
Jessup W, 1943
Jiang W, 919
Jiao X-Y, 1866
Jiménez A, 818
Jiménez P, 818
Jöbsis MM, 1214
Johnson LL, 999
Johnson W, 1623
Johnston JM, 1608
Joho S, 436
Jones RH, 565
Jong P, 463
Jongsma HJ, 1709
Jugdutt BI, 247, 1538
Juracan EM, 323, 625
Juran N, 377

Kaatz S, 60
Kachaner J, 1664
Kadish A, 788
Kaesemeyer WH, 1199
Kaiser H-J, 443
Kakishita M, 1992
Kalman JM, 896
Kalra PR, 1703, 1901
Kamakura S, 1799, 1984
Kameyama T, 436
Kamp O, 1283
Kanagaratnam P, 116
Kanatsuka H, 1859
Kanda M, 1799
Kanda T, 1229
Kang D-H, 604
Kangawa K, 288
Kanuru N, 1258
Kaplan S, 1890
Kappenberger L, 1813
Kaprielian RR, 428
Karamanoukian HL, 555, 917
Karatzas D, 653
Karavolias G, 653
Karck M, 617
Kashiwagi S, 610
Kasper EK, 471
Kass DA, 194, 2052, 2069
Kathiresan S, 1518
Kattenbeck K, 689
Kaufmann PA, 450
Kaul S, 523, 530, 726
Kaushal P, 1524
Kawaguchi M, 2052
Kawano Y, 288
Kay GN, 109
Kayagaki N, 1399
Kazanegra R, 202
Keane JF, 1026
Keeton BR, 1670
Kelder JC, 1297
Kell R, 1615
Keller D, 702
Kelly R, 219
Kelsey SF, 1608
KenKnight BH, 1163
Kent KM, 578, 1290, 1930
Keogh BE, 455
Kerber RE, 1956
Kerensky RA, 1456
Kern MJ, 1012
Kertesz NJ, 517
Khachigian LM, 183
Khand A, 138
Khandheria B, 1531
Khandheria BK, 509
Khargi K, 1644
Khoschsorur G, 251
Kihara T, 754
Kihara Y, 1384
Kikkawa M, 1657
Killingsworth CR, 359
Kim B-S, 1329
Kim H-S, 1686, 1930, 1937
Kim IS, 1264
Kim MC, 923
Kim Y-H, 1329
Kim YJ, 308
Kimmel SE, 1601
Kingwell BA, 1020, 1637
Kini A, 923
Kinoshita M, 957
Kinukawa N, 610
Kip KE, 565, 834
Kipshidze NN, 1686
Kirisits C, 400
Kirkels H, 2026
Kisanuki A, 1651
Kissinger KV, 1055
Kisslo KB, 328
Kitamura H, 295
Kitamura S, 288
Kitt M, 377
Klein HU, 1163
Klein LW, 1104
Kleinman CS, 1836
Klima T, 1305
Klungboonkrong V, 886
Kneussl M, 1496
Kobayashi J, 288
Koch G, 1214
Koch KT, 852
Kok LC, 1964
Komajda M, 2034
Komaru T, 1859
Koniavitou K, 653
Kop WJ, 744
Kopf GS, 180
Koriyama C, 1651
Kosakai Y, 288
Koschyk DH, 617
Kosinski EJ, 1581
Koskinen PK, 710
Kostner K, 251
Koyanagi S, 610
Kozaki K, 741
Krahnefeld O, 2026
Kramer AP, 1163
Krasuski RA, 328
Kratzsch J, 1175
Kraus WE, 1170
Kremastinos DT, 653
Krieger EM, 676
Krishnan RR, 919
Krishnaswamy P, 202
Krone RJ, 1096, 1104
Kroupis C, 653
Krucoff M, 266
Krüger C, 1615
Krum H, 1567
Krumholz HM, 83
Kübler W, 1189, 1615
Kubota T, 1657
Kuck K-H, 500
Kudo Y, 2000
Kühl H, 443
Kühlkamp V, 790
Kuhner PA, 1314
Kuly S, 689
Kumakura M, 1120
Kumanohoso T, 1651
Kumar D, 1538
Kupka MJ, 1055
Kurita T, 1799, 1984
Kusano KF, 1992
Kuschkowitz F, 1644
Kutryk MJB, 281
Kwan OL, 1546
Kwok JMF, 1475

Laarman GJ, 852, 1924
LaBelle P, 70
Laczkovics A, 1644
Lafitte S, 1546
Lafont A, 1680
Laham RJ, 1
Lahpor JR, 963
Lainchbury JG, 1182
Lal BN, 1305
L'Allier PP, 9
Lamas GA, 1450
Lambiase PD, 1917
Lamont DH, 408
Landolfo CK, 1220
Landolfo KP, 1220
Landsberger M, 646
Langberg JJ, 1258
Lansky AJ, 274, 591
Lapointe N, 776, 1692
Larntz K, 1836
Larrauri C, 181
Larson MG, 1055
Lasala JM, 9
Lassnig E, 1878
Lauer MS, 1353, 1356
Lavie CJ, 1563
Lawo T, 1644
Lazzara R, 1956
Le Bidois J, 1664
Lecarpentier Y, 743
Leclercq C, 194
Lee DS, 991
Lee K, 1956
Lee SC, 1329
Lee T-M, 871
Lee-Lewandrowski E, 1518
Lefèvre T, 15
Legrand V, 393
Lehr S, 251
Lemke B, 1644
Lemström KB, 710
Lennon R, 1113
Lennon RJ, 1012
Leon AR, 1258
Leon MB, 274, 591, 1686, 1706
Leonelli F, 1046
Leong-Poi H, 523, 530
Leor J, 1133
Lepper W, 1283
Lerman A, 1012, 1555
Lerman BB, 1973
Lerman LO, 1555
Letsou GV, 1468
Lever HM, 308
Levey AS, 1704
Levi M, 811
Levine RA, 1651
Levy D, 1055
Levy DE, 1852
Lewandrowski K, 1518
Lewis D, 266
Lewis ME, 102
Lewis SJ, 1450
Li C, 1852
Li D, 1429
Liang P, 1773
Lidón R-M, 157
Liebergen RAM, 852, 1513
Liel-Cohen N, 702
Lin C-I, 366
Lindahl B, 1405
Lindblom D, 918
Lindner JR, 530
Lindsay J Jr, 1930
Lindsay J Jr., 578
Linke A, 1175
Liss CL, 70
Liu H-R, 1866
Liu P, 148
Liu PP, 463
Liu Q, 718
Liu S, 49
Livi U, 1845
Lock JE, 1026
Logemann TL, 1713
Lomnicka M, 521
Long W, 1214
Loose R, 617
Lopaschuk GD, 718
López de Sá E, 598
López-Farré A, 818
López-Sendón J, 598
Loubeyre C, 15
Louvard Y, 15
Love BA, 1827
Lowe HC, 183
Lowe JE, 1220
Lu C, 413
Lucas C, 1623
Lucke JC, 266
Luo H, 124

Mabuchi N, 957
MacCallum G, 37
MacCallum H, 1005
Macdonald S, 841
MacGillivray TE, 1518
Macle L, 1337
MacLellan WR, 1563, 1780
MacWalter R, 219
Madden BP, 455
Madias JE, 742
Maeda K, 957
Maeda N, 610
Maehara A, 1937
Maekawa N, 1229
Maekawa Y, 241
Magee P, 559
Maggioni AP, 1594
Magnano AR, 1820
Mahon NG, 455
Mahoney DW, 323, 625, 1345
Maisch B, 780

Maisel A, 202
Mallat Z, 1680
Mancia G, 1275
Mancini L, 1489
Manes A, 1496
Mangrum JM, 1964
Mannarino E, 2005
Manning WJ, 1055
Manson JAE, 49
Mar Arriero M, 818
Marber MS, 747, 1917
Marchesi S, 2005
Marco SP, 1703
Marcovitz PA, 387
Marcus F, 892
Marcus FI, 556
Marfella R, 1145
Margonato A, 413
Markowitz SM, 1973
Marliere S, 554
Maron BJ, 301, 1406
Marques KMJ, 1630
Marrouche NF, 1046
Martell S, 1943
Martín E, 818
Martin J, 1764
Martin M, 308
Masri CS, 804
Massie BM, 79
Masugata H, 1546
Matarazzo M, 90
Materne P, 393
Matsubara H, 1992
Matsui A, 1072
Matsukida K, 1651
Matsumura Y, 907
Matsuo H, 288
Matsuo K, 1799
Matsuoka H, 288
Mattera JA, 83
Maurer G, 251, 1066
Mauri F, 1594
Maxwell AJ, 37
McCarthy P, 970
McCarthy PM, 804, 1255, 1356
McClean DR, 2034
McCullough PA, 60
McCully RB, 625, 1345
McGrath KCY, 1943
McIntyre K, 760
McKay CR, 1096, 1104
McKelvie RS, 463
McKenna WJ, 455, 2049
McMillan TL, 1937
McMurray JJ, 1567
McMurray JJV, 760
Medeiros CM, 1033
Mediratta S, 266
Mehilli J, 864
Mehra MR, 1563
Mehran R, 274, 591, 1686, 1706
Mehta JL, 1429
Mehta S, 2034
Meijers JCM, 811
Meinertz T, 617
Mekori YA, 1133
Mela T, 664
Melkko J, 96
Mennander A, 96
Menon V, 1538
Mera FV, 1258
Merckx J, 1664
Messerli FH, 1563
Meuwissen M, 852
Meyer TE, 664
Michelassi C, 1443
Milani RV, 1563
Miller DD, 859
Miller FA, 509
Miller HI, 1012
Miller LW, 1773
Miller TD, 30, 1475
Minagoe S, 754, 1651
Minatoya K, 288
Mintz GS, 274, 1937
Mirabet M, 157
Mirocha J, 124
Mishima T, 2069
Mishkel G, 1581
Mitamura H, 241
Mitchell LB, 1323
Mittal S, 1973
Mitulovic G, 251
Miyamoto T, 124
Mizsei G, 1366
Möbius-Winkler S, 1175
Mogensen J, 2049
Mogi M, 585
Mohri M, 847
Molinari AM, 1145
Moliterno DJ, 1738
Momiyama Y, 919
Monin JL, 1139
Monti L, 413
Montón M, 818
Montorsi P, 387
Moons AH, 811
Morady F, 916
Morand S, 1496
Morel MM, 559
Moreno M, 598
Moreno R, 598
Morice M-C, 15
Morita H, 1992
Morita T, 907
Morocutti G, 1845
Morrison DA, 266, 556
Morrison LK, 202
Morton JB, 896
Moses JW, 9, 1686
Motro M, 1127
Mounsey JP, 1964
Moussa I, 9
Moyé LA, 1450
Muhlestein JB, 632
Muhlmann MH, 1020
Mújica R, 1204
Mukherjee R, 1374
Mulder BJM, 2080
Müller H-H, 780
Müller K-D, 1189
Müller K-M, 1644
Müller S, 2012
Muncaster SA, 1787
Mundigler G, 1066
Munger TM, 1808
Murabayashi T, 2052
Myking OL, 1623

Nademanee K, 1806
Naeije R, 1496
Nagai R, 1399
Nagasawa T, 1072
Nagase S, 1992
Nagata K, 1264
Nagata S, 585
Nagaya N, 1799, 1984
Nakagawa I, 1120
Nakamura H, 919
Nakamura K, 1984, 1992
Nakamura T, 1657
Nakayama Y, 744
Nakhla S, 1943
Napoli C, 1701
Napoli R, 90
Nappo F, 1145
Naqvi TZ, 124
Natale A, 1046
Naylor CD, 1909
Negrão CE, 676
Negri A, 981
Nekolla SG, 864
Nelson GS, 2052
Neuhaus K-L, 377
Neunteufl T, 251
Nevo E, 2052
New G, 1686
Newby LK, 1738
Newell JB, 1518
Newton GE, 1269
Ni J, 892
Nibbering E, 1733
Nicholls MG, 1182
Niederman AL, 2034
Niemela M, 1713
Nienaber CA, 617
Nietlispach F, 702
Nili N, 1852
Nishida K, 907
Nishikimi T, 288
Nishimura RA, 2042
Nishimura T, 1657
Nishizawa T, 1264
Niwa T, 1229
Norgiolini S, 878
Norton GR, 664
Noto R, 999
Nowak B, 443
Nozawa T, 436

O'Connor CM, 210, 919
Odaka K, 864
O'Donnell CJ, 1055
Oechslin EN, 450
Oei H-HS, 1745
Oesterle SN, 183
Ogawa S, 241
Ogihara T, 585
Oh DJ, 1329
Oh JK, 323, 509
Ohe T, 288, 1984, 1992
Ohgami A, 935
Ohman EM, 22, 377, 1738
Ohnishi M, 957
Ohnishi Y, 295
Ohsuzu F, 919
Ohtonen P, 96
Okajima K, 295
Okumura K, 1399
Okuro M, 585
Olgin JE, 1956
Olijhoek J, 683
Oliviero U, 90
Olivotto I, 301
Omapatrilat Hemodynamic Study Group, 2034
Omland T, 1623
Ommen SR, 2042
O'Neill WW, 387, 1713
Onozawa Y, 1384
Opie LH, 315
Ormaza S, 1773
Ortega A, 598
Osende JI, 1366
Otsu K, 907
Otsuji Y, 1651
Ottani F, 22
Ottervanger J-P, 1723
Otuji Y, 754
Ouchi Y, 741
Oudkerk M, 1745
Ouyang F, 500
Ouyang P, 231
Ovadia M, 1710

Pääkkö P, 96
Pachinger O, 1951
Pacing Therapies in Congestive Heart Failure (PATH-CHF) Study Group, 2026
Packer DL, 509, 1808
Pagani FD, 1247
Page RL, 1956
Pak H-N, 1329
Pálinkás A, 1443
Palloshi A, 413
Palmieri EA, 90
Paolisso G, 1145
Paolocci N, 2069
Paramesh V, 266
Paraskevaidis J, 653
Parissis J, 653
Park S-J, 604, 1773
Park S-W, 604
Parker JD, 1199, 1269
Parker JO, 1199
Parker T, 1692
Parker TG, 148, 638
Parmley WW, 177, 538, 913, 1236, 1562, 1874
Parsons LS, 826
Participants in the National Registry of Myocardial Infarction 2, 826
Pasqualini L, 2005
Patel NS, 1937
Patel P, 116
PATH-CHF Study Group, 1163
Patterson JH, 946
Pearce GL, 37
Pearlman JD, 1
Pede S, 878
Pelle G, 1139
Pellikka PA, 323, 625, 1345, 1531
Pennell DJ, 428
Pepi M, 387
Pepine CJ, 1456
Pepper J, 428
Pereira JJ, 1356
Pérez de Isla L, 598
Perry GJ, 1374
Perry SB, 1026
Peters B, 1546
Peters NS, 116
Peters RJG, 811
Peterson KL, 672
Peterson MA, 591
Pett S, 266
Pfeffer M, 1623
Pfeffer MA, 1450
Pfisterer M, 702
Phibbs BP, 556
Philbin EF, 60, 1314
Philipp T, 2012
Piatti PM, 413
Picano E, 1443
Pichard AD, 578, 1290, 1930
Piéchaud J-F, 15
Piek JJ, 852, 1513
Pieper K, 328
Pieper KS, 22
Pieroni M, 1405
Pijls NHJ, 852
Pillay P, 1637
Pilotto A, 981
Pineda EA, 1323
Pinnow EE, 578, 1930
Pippen AM, 1170
Pisch J, 1937
Pislaru C, 1531
Piva de Albuquerque C, 231
Pizcueta P, 157
Pizzuti A, 1443
Plappert T, 1450
Plenz G, 1508
Plokker THW, 1297
Ploner M, 400
Plumb VJ, 109
Pokrajac B, 400
Pöllänen R, 96
Pomè G, 1061
Pomerantsev E, 604
Porcellati C, 878, 2005
Porreca E, 1752
Pötter R, 400
Powell AJ, 335
Power JA, 1581
Pozza G, 413
Prasad K, 1005
Price JF, 517
Price RJ, 726
Primary Pulmonary Hypertension Study Group, 1214
Priori SG, 1984
Pritzker K, 1852
Przyklenk K, 1701
Puigfel Y, 157
Pulkkinen VP, 710

Qi M, 726
Qian C, 2034
Qin JX, 308
Qiu C, 142
Qiu C-S, 142
Quan H, 1937
Quinlan KB, 935
Qureshi MA, 387
Qureshi SA, 1664

Rabelink TJ, 683
Rabinowitz B, 1127
Radford MJ, 83
Raggi P, 225, 695
Rakowski H, 638
Rakowski P, 638
Ralph D, 1214
Ramakrishnan R, 1820
Ramanathan KB, 266
Ramchandani M, 1468
Rameken M, 1436
Rand WM, 1704
Rande JLD, 1139

Ranke C, 689
Rapp F, 1813
Ratliff NB, 804, 970
Raymond RJ, 1214
Rea RF, 1808
Reardon M, 1468
Reboldi G, 878
Reddy R, 1956
Redwood SR, 1917
Reiffel JA, 1820
Reis SE, 231
Ren G, 1468
Rendell JCT, 718
Rengo F, 1701
Rensing BJWM, 393, 559
Repetto A, 981
Reshef T, 1133
Ribeiro E, 559
Ribeiro JP, 1033
Ricard P, 1956
Ricci R, 489
Richards AM, 1182
Rico L, 818
Rihal CS, 1113
Rim S-J, 523
Rimm EB, 49
Ritman EL, 1555
Ro YM, 1329
Roberts RS, 30
Robinson R, 1852
Robles de Medina EO, 963
Rodriguez CJ, 1482
Roger VL, 625, 1345
Rogers JM, 109
Roguin A, 558
Romero J, 818
Ronderos R, 1204, 1489
Ronner E, 1924
Rootwelt K, 1588
Rosamond WD, 57
Rosito GA, 1033
Rosti L, 1061
Rothery S, 116
Roubin GS, 1686
Rouleau JL, 148, 776, 1450, 1623, 1692
Rouleau JR, 1450
Roumanis SA, 83
Rousseau MF, 2034
Rubenstein R, 1581
Rubin DN, 308
Rubio R, 598
Ruiz-Meana M, 157
Russell JK, 1956
Rutsch W, 393
Rynders P, 1374

Saatvedt K, 1588
Saavedra WF, 2069
Sabate M, 281
Sabbah HN, 2069
Saccà L, 90
Sacco RL, 1482
Sack S, 2026
Sacks J, 266, 556
Sada MJ, 826
Saha DC, 1758
Saito K, 1229
Sakamoto K, 1657
Sakuma T, 523
Salem D, 1704
Saliba W, 1046
Salo RW, 1163
Salton CJ, 1055
Samaha FF, 1601
Samejima H, 2052
San Román JA, 1204, 1489
Sánchez de Miguel L, 818
Sandberg KR, 60
Sanders P, 896
Sandor GGS, 1670
Sanmartín JV, 1204, 1489
Santini M, 489
Santoro E, 1594
Santoro L, 1594
Sanz O, 1204, 1489
Sarriá C, 1204, 1489
Sasako Y, 288
Sasayama S, 1384
Satler LF, 578, 1290, 1930
Sato K, 1859
Satta J, 96
Saucedo J, 266
SAVE Investigators, 1450
Savonitto S, 22
Sawayama Y, 610
Scelsi L, 981
Schaer GL, 30
Schaff HV, 565
Schall R, 315
Schalwat I, 617
Scheld HH, 1508
Schellberg D, 1615
Scheubel RJ, 481
Schillaci G, 878, 2005
Schipper MEI, 963
Schläpfer J, 1813
Schlendorf K, 604
Schmid RW, 251
Schmidt D, 1581
Schnyder G, 1705
Schoen SP, 2019
Scholtz W, 2019
Schöndube F, 2026
Schraeder R, 2019
Schreiber K, 864
Schubert A, 1175
Schuler G, 1175
Schulman DS, 231
Schulman SP, 231
Schulze PC, 1175
Schwacke H, 1436
Schwaiger M, 864
Schwammenthal E, 1127
Schwammenthal Y, 1127
Schwartz T, 1214
Schwartz TA, 946
Schwarz ER, 1283
Schwarzacher SP, 1951
Schweikert R, 1046
Sciacca RR, 1482
Secic M, 970
Sedlis S, 266
Seidl K, 1436
Seidman CE, 1406
Seidman JG, 1406
Seino K-i, 1399
Seishima M, 1229
Sekikawa K, 1229
Seko Y, 1399
Selman D, 744
Senges J, 1436
Sequeira RF, 2034
Serruys PW, 281, 393, 559, 1513
Servoss SJ, 1518
Sesso HD, 49
Sethi G, 266, 556
Seto H, 436
Setola E, 413
Seung K-B, 604
Severs NJ, 116, 428
Seward JB, 509, 1345, 1531
Shah DC, 1337
Shan K, 1468
Sharma BDRR, 1703
Sharma SK, 923
Sharpe N, 1787
Shavelle DM, 826
Shavelle RM, 408
Shaw JA, 1637
Shaw LJ, 1104, 1151
Shaw LK, 210
Shaw RE, 1096, 1104
Shemin RJ, 565
Shen WK, 1808
Sheppard MN, 428
Sherwood MC, 1026
Shigeta O, 1072
Shim WJ, 1329
Shimizu C, 610
Shimizu M, 436, 585
Shimizu W, 1799, 1984
Shimokawa H, 847
Shimoni S, 1468
Shioiri H, 1859
Shiota T, 308
Shirato K, 1859
Shishkov M, 604
Shub C, 323
Sia YT, 148
Sidi D, 1664
Siegel RJ, 124
Siegenthaler MP, 1764
Sieswerda GT, 1283
Sihvola RK, 710
Silaruks S, 886
Silber R-E, 481
Silver MA, 798
Silverman ED, 130
Silverman ME, 1574
Silverman NH, 1836
Simm A, 481
Simonneau G, 743, 1496
Simons M, 1
Simoons ML, 1924
Sinak LJ, 509
Singh M, 1881
Sirois MG, 1692
Sitbon O, 1496
Sitges M, 308
Skali H, 1450
Skwara W, 1189
Slavik Z, 1670
Slepian MJ, 1012
Slotwiner DJ, 1973
Smith AL, 1258
Smith GL, 83
Smith MD, 1796
Smith VE, 1314
Smith WM, 109, 359
Snyder CS, 517
Sobue T, 1264
Sochman J, 1422
Soini Y, 96
Soler-Soler J, 157
Solomon SD, 1450
Somsen A, 1924
Somura F, 1264
Song J, 726
Song J-K, 180
Sonnenberg B, 638
Soriano B, 157
Soriano J, 598
Sparkes JD, 1852
Spears R, 387
Spertus JA, 60
Spielhagen T, 646
Spinale FG, 1374
Spinelli JC, 1163
Spirito P, 301
Spruijt HJ, 1630
Stabile G, 916
Staines A, 219
Stangl K, 646
Stangl V, 646
Starling RC, 804, 970
Staudt A, 646
Stefenelli T, 251
Stein KM, 1973
Stein R, 1033
Stellbrink C, 2026
Stevens CL, 509
Stevenson LW, 1623
Steward JB, 323
Stewart S, 760
Stewart WJ, 1356
Stoermann W, 1489
Stone GW, 274, 591, 1581, 1686, 1706
Stone PH, 37
Stonebridge P, 219
Strachan M, 1546
Strasser RH, 2019
Strauss BH, 1852
Stroes ESG, 683
Strogatz DS, 1314
Strony J, 377
Struthers AD, 219, 767
Su S-F, 871
Suddath WO, 578
Suga S-i, 288
Sugiura T, 2000
Suhara T, 585
Summer WR, 1214
Sun H, 847
Sunagawa K, 1984
Suryapranata H, 393, 559, 1723, 1733
Sutton MSJ, 1450
Suttorp M-J, 393, 1297
Suwa T, 935
Suyama K, 1799, 1984
Suzuki G, 2069
Suzuki K, 1120
SYMPHONY and 2nd SYMPHONY Cardiac Markers Substudy Investigators, 1738

Tada H, 916
Tada M, 907
Taguchi A, 1799, 1984
Tajik AJ, 2042
Takagawa J, 436
Takahashi K, 1859
Takahashi T, 241
Takasaki K, 754
Takeda S, 1859
Takeshita A, 847
Talley JD, 266
Tanabe Y, 1120, 1984
Tang WHW, 70
Tanga M, 1443
Taniguchi H, 919
Taniuchi M, 9
Tanne D, 1127, 1133
Tantikosum W, 886
Tatsanavivat P, 886
Tatsukawa M, 610
Tavazzi L, 981
Taylor JA, 1524
Tchou P, 1046
Tearney GJ, 604
Tedgui A, 1680
Tei C, 754, 1651
Teiger E, 1139
Teirstein PS, 1581
Teixeira OTUN, 676
ten Berg JM, 1297
Tenenbaum A, 1127
Terrin M, 231, 471
Thiemann DR, 231, 471, 1729
Thinkhamrop B, 886
Thomas A, 1005
Thomas JD, 308, 1356
Thomson HL, 1531
Tijssen JGP, 811, 852, 1513
Tillisch JH, 1563
Ting HH, 1113, 1881
Tio F, 1686
Tio RA, 852
Tittle SL, 180
Titus JL, 1323
Tomassoni G, 1046
Topol EJ, 9, 22, 377, 1738, 1924
Torbicki A, 1496
Torosoff MT, 1314
Towbin JA, 892, 1984
Townend JN, 102
Townsend SN, 231
Toy W, 1503
Toyama Y, 754
Trabattoni D, 387
Trambaiolo P, 489
Tran YL, 1852
Trappe HJ, 689
Triedman JK, 1827
Trikalinos TA, 2059
Troughton RW, 1182
Trouton T, 1956
Tsai C-H, 871
Tsoporis JN, 148
Tsuchihashi K, 181
Tsui W, 1852
Tsutamoto T, 957
Tsutsui T, 957
Tu JV, 1909
Tulevski II, 2080
Tunin RS, 2069
Tunstall-Pedoe H, 219
Turco P, 916
Turi ZG, 1705
Turner J, 1182
Tuttle RH, 1738
Tuukkanen J, 96
Tuzcu EM, 804, 970

Udelson JE, 1151
Umeno K, 436
Underwood SR, 428
Unger F, 559
United Kingdom and Ireland Collaborative Study of Pulmonary Atresia with

Intact Ventricular Septum, 1670
Upshaw CB Jr, 1574
Urakami L, 847
Uretsky BF, 946
Usui M, 847

Vaccarino V, 83, 920
Vachiéry J-L, 1496
Vagelos RH, 70
Valagussa F, 1275
Vallance P, 257
Valli G, 1083
Valsecchi G, 413
Van Anden E, 471
van de Loo A, 1764
van den Bos A, 393
van den Brand M, 281
van den Brand MJBM, 559
van der Giessen WJ, 281
van der Linden J, 918
van der Velden HMW, 1709
van Dessel PFHM, 1297
van Eck-Smit BLF, 852
van Eeden SF, 935
van Veldhuisen DJ, 954, 2080
van Wichen DF, 963
Vander Salm TJ, 565
VanDriest SL, 2042
VanGieson EJ, 726
van't Hof AWJ, 1723, 1733
Varga A, 1443
Vater M, 1436
Vaudo G, 2005
Ventura HO, 1563
Verberne HJ, 852
Verdecchia P, 878, 2005
Verdino R, 744
Verheugt FWA, 1733
Vernon S, 266
Veterans Affairs Non–Q-Wave Infarction Strategies in-Hospital (VANQWISH) Trial Investigators, 1456
Vilacosta I, 1204, 1489
Vilde F, 1680
Vincent R, 935
Vincenzi A, 1275
Violi F, 554
Visser CA, 1283, 1630
Visser FC, 1630
Vita J, 257
Vitek JJ, 841
Vizza CD, 1496
Vliegenthart R, 1745
Voci P, 1283
Vogel R, 257
Vogt AM, 1189
Vogt J, 2026
Vohra JK, 896
Volkmer M, 500
Volz S, 864
von Dryander S, 1644
von Kodolitsch Y, 617
Voskuil M, 1513
Vrobel TR, 377

Wada A, 957
Wada H, 1229
Wade M, 1456
Wade MJ, 1601
Wagner AH, 732
Waksman R, 274, 578, 1290, 1930, 1937
Waktare J, 1956
Walcott GP, 109, 359
Wallukat G, 646
Walsh EP, 1827
Walsh HJ, 1787
Walton AS, 1637
Wang A, 328
Wang J, 1305
Wang Y-Y, 1866
Warner JJ, 328
Waters DD, 238
Wayhs R, 225
Weaver WD, 60, 1713
Webb DJ, 1005
Webber SA, 1670
Webel C, 732
Weber T, 918, 1878
Wehling M, 351
Wei C-C, 1374
Weidinger F, 1951
Weiman D, 266
Weinmann H-J, 1392
Weintraub WS, 1096, 1104
Weismüller P, 689
Weissman NJ, 578, 1937
Wellens F, 559
Welt F, 266
Wenzel RR, 2012
Wernecke KD, 646
Westerhausen DR Jr, 1713
Westerhof N, 1630
Wexberg P, 400
Weyman AE, 702
Whalley GA, 1787
White HD, 22
White RL, 1930
Whitlow PL, 834, 1581
Whittaker P, 1701
Whittingham HA, 1852
Wichter T, 1508
Wigle ED, 638
Wijns W, 393, 559
Wilders R, 1709
Wilkinson IB, 1005
Will ML, 2042
Willerson JT, 1305
Willett WC, 49
Williams DO, 1608
Williams W, 1214
Willis PW IV, 1214
Willson K, 70
Wilms-Schopman FJG, 166
Wimmer M, 1066
Witteman JCM, 1745
Wolfe W, 266
Wolfhard U, 2026
Wongvipaporn C, 886
Woo A, 638
Wood MA, 1039
Woodiwiss AJ, 664
Wright S, 1247
Wright SP, 1787
Wu H, 274
Wyss CA, 450

Xie G-Y, 1796

Yacoub MH, 573
Yagita H, 1399
Yamada Y, 1229
Yamaguchi O, 907
Yamane T, 1337
Yamani MH, 804, 970
Yamano T, 1657
Yamasaki F, 2000
Yamashita N, 907
Yandle TG, 1182
Yang N, 1937
Yang TP, 408
Yang Y, 2012
Yazdi HA, 1686
Ye Y, 1773
Yee Y-G, 70
Yi Q, 30
Yin B, 1220
Yokota M, 1264
Yokoyama M, 295
Yoneda T, 1384
Yoshifuku S, 754, 1651
Yoshihara F, 288
Yoshikawa T, 241
Yoshizumi M, 741
Young JB, 804, 946, 970
Ysuchihashi K, 741
Yu J, 1175
Yue DK, 1943
Yusuf S, 30
Yutani C, 288

Zahn R, 1436
Zamora SA, 130
Zapien MP, 37
Zebrack JS, 632
Zehetgruber M, 1066
Zelinger A, 225
Zen K, 1657
Zervas JG, 1758
Zeymer U, 377
Zhang J, 1773
Zhao R-R, 1866
Zijlstra F, 1723, 1733
Zimerman LI, 1033
Zipes DP, 178, 373, 540, 739, 914, 1078, 1411
Zoghbi WA, 1468
Zornoff LAM, 1450
Zugck C, 1615
Zwolle Myocardial Infarction Study Group, 1723

Journal of the American College of Cardiology
© 2002 by the American College of Cardiology Foundation
Published by Elsevier Science Inc.

Vol. 39, No. 12, 2002
ISSN 0735-1097/02/$22.00
PII S0735-1097(02)01934-4

Subject Index: Volume 39

Ablation
See also Surgery
Influence of patient factors and ablative technologies on outcomes of radiofrequency ablation of intra-atrial re-entrant tachycardia in patients with congenital heart disease, 1827
Intracardiac echocardiography-guided, anatomically-based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins, 1964
Is electrical stimulation during administration of catecholamines required for the evaluation of success after ablation of atrioventricular node re-entrant tachycardias?, 689
Left atrial versus bi-atrial maze operation using intraoperatively cooled-tip radiofrequency ablation in patients undergoing open-heart surgery, 1644
Lesional tachycardias related to mitral valve surgery, 1973
Noncontact mapping to guide ablation of right ventricular outflow tract tachycardia, 1808
Three-dimensional nonfluoroscopic mapping and ablation of inappropriate sinus tachycardia, 1046

ACC
ACC/AHA guideline update for perioperative cardiovascular evaluation for noncardiac surgeryemdashexecutive summary, 542
ACC revised recommendations for training in adult cardiovascular medicine core cardiology training II (COCATS 2) (Revision of the 1995 COCATS Training Statement), 1242
Development of a risk adjustment mortality model using the American College of Cardiology–National Cardiovascular Data Registry (ACC–NCDR) Experience: 1998–2000, 1104
Newly elected members of the college, 1080
New year, new editor, new location, new format, new world (editor's page), 177

ACC News
Newly elected members of the college, 1080
Presidential Address: citizens of the world, 1411
President's page: cardiologists without borders, 178
President's page: convocation address: the art of medicine, 1238
President's page: dollars without the sense, 540
President's page: fighting terrorism: our role as physicians, 739
President's page: managing the Medicare mess: what's next?, 1876
President's page: mission possible: with help from our friends, 914
President's page: teaching: today's investment in tomorrow, 373
President's page: the ACC and advocacy: a strong voice for cardiovascular specialists, 1699
President's page: the making of a president, 1078
President's page: there's already a shortage, and it's getting worse!, 2077

Acetylcholine receptors
Relationship of myocardial remodeling to the genesis of serum autoantibodies to cardiac beta$_1$-adrenoceptors and muscarinic type 2 acetylcholine receptors in rats, 1866

Action potentials
Action potential duration restitution kinetics in human atrial fibrillation, 1329

Activator protein-1
Decoy oligodeoxynucleotide against activator protein-1 reduces neointimal proliferation after coronary angioplasty in hypercholesterolemic minipigs, 732

Acute coronary events
Soluble intercellular adhesion molecule-1 and long-term risk of acute coronary events in patients with chronic coronary heart disease, 1133

Acute coronary syndromes
Early angioplasty in acute coronary syndromes without persistent ST-elevation improves outcome, but increases need for 6 month repeat revascularization. An analysis of the PURSUIT-trial, 1924
Effects of acute hormone therapy on recurrent ischemia in postmenopausal women with unstable angina, 231
Nitric oxide production by neutrophils obtained from patients during acute coronary syndromes: expression of the nitric oxide synthase isoforms, 818
Prognostic significance of immune activation after acute coronary syndromes (letter), 1878
Prognostic value of creatine kinase elevations extends across the whole spectrum of acute coronary syndromes, 22
Randomized comparison of direct stenting with conventional stent implantation in selected patients with acute myocardial infarction, 15
Rebound thrombin generation after heparin therapy in unstable angina, 811
Transient left ventricular apical ballooning without coronary artery stenosis: a form of stunning-like phenomenon? (letter), 741
Troponin T in acute coronary syndromes: mechanisms and management issues (letter), 1404

Acute myocardial infarction
See Myocardial infarction

Adenosine triphosphate-sensitive potassium channel
Pharmacologic preconditioning of estrogen by activation of the myocardial adenosine triphosphate-sensitive potassium channel in patients undergoing coronary angioplasty, 871

African Americans
Presence of African American race predicts improvement in coronary endothelial function after supplementary L-arginine, 1314

Age and aging
See Elderly; Pediatric cardiology

Air pollution
Air pollution as a cause of heart disease (editorial), 943
Particulate air pollution induces progression of atherosclerosis, 935

Allografts
Crosstalk of endothelin-1 and platelet-derived growth factor in cardiac allograft arteriosclerosis, 710

Ambulatory blood pressure
Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects, 878

American College of Cardiology
See ACC

Amiodarone
Electrophysiologically guided amiodarone therapy versus the implantable cardioverter-defibrillator for sustained ventricular tachyarrhythmias after myocardial infarction, 1813

Amlodipine
Vascular remodeling during healing after myocardial infarction in the dog model, 1538

Anasarca
Anasarca and low electrocardiogram voltage (letter), 742

Anemia
Anemia is associated with worse symptoms, greater impairment in functional capacity and a significant increase in mortality in patients with advanced heart failure, 1780

Aneurysms
Congenital ductus arteriosus aneurysm (editorial), 348
Isolated neonatal ductus arteriosus aneurysm, 342
Predictors of aneurysmal formation after surgical correction of aortic coarctation, 617

Angina pectoris
Coronary microvascular spasm causes myocardial ischemia in patients with vasospastic angina, 847
C-reactive protein and angiographic coronary artery disease: independent and additive predictors of risk in subjects with angina, 632
Early angioplasty in acute coronary syndromes without persistent ST-elevation improves outcome, but increases need for 6 month repeat revascularization. An analysis of the PURSUIT-trial, 1924
Effects of acute hormone therapy on recurrent ischemia in postmenopausal women with unstable angina, 231
Estrogen therapy for unstable angina (editorial), 238
Increased plasma levels of the soluble form of Fas ligand in patients with acute myocardial infarction and unstable angina pectoris, 585
Limited role of coronary angioplasty and stenting in coronary spastic angina with organic stenosis, 1120
Low event rate for stress-only perfusion imaging in patients evaluated for chest pain, 999
Nitric oxide production by neutrophils obtained from patients during acute coronary syndromes: expression of the nitric oxide synthase isoforms, 818
Percutaneous coronary intervention versus coronary bypass graft surgery for patients with medically refractory myocardial ischemia and risk factors for adverse outcomes with bypass, 266
Primary angioplasty and selection bias in patients presenting late (ó12 h) after onset of chest pain and ST elevation myocardial infarction, 826
Randomized trial of a medical food for the dietary management of chronic, stable angina, 37
Rebound thrombin generation after heparin therapy in unstable angina, 811
Refractory angina pectoris, 923
Systemic inflammation in unstable angina is the result of myocardial necrosis, 1917

Angiogenesis
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220

Angiography
Abstracts, 1A

Angiographic plaque complexity: the tip of the unstable plaque iceberg (editorial), 1464
C-reactive protein and angiographic coronary artery disease: independent and additive predictors of risk in subjects with angina, 632
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139
Gadolinium-enhanced three-dimensional magnetic resonance angiography of pulmonary and systemic venous anomalies, 335
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290
Quantitative angiographic methods for appropriate end-point analysis, edge-effect evaluation, and prediction of recurrent restenosis after coronary brachytherapy with gamma irradiation, 274
Revisiting the culprit lesion in non–Q-wave myocardial infarction: results from the VANQWISH Trial Angiographic Core Laboratory, 1456

Angioplasty
See Balloon angioplasty; Percutaneous transluminal coronary angioplasty; Primary angioplasty

Angiotensin-converting enzyme
Activation of vascular time angiotensin-converting enzyme (ACE) in heart failure (editorial), 776

Angiotensin-converting enzyme inhibitors
See also specific agent
Activation of vascular time angiotensin-converting enzyme (ACE) in heart failure (editorial), 776
Addition of spironolactone to angiotensin-converting enzyme inhibition in heart failure improves endothelial vasomotor dysfunction, 351
Angiotensin receptor blockers in heart failure: meta-analysis of randomized controlled trials, 463
Comparison of the effects of an angiotensin-converting enzyme inhibitor and a vasopeptidase inhibitor after myocardial infarction in the rat, 1692
Evidence-based evaluation of calcium channel blockers in hypertension, 315
Gradual reactivation over time of vascular time angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure, 767
Neurohormonal and clinical responses to high- versus low-dose enalapril therapy in chronic heart failure, 70
Neurohormonal blockade in chronic heart failure (editorial), 79
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Angiotensin I
Gradual reactivation over time of vascular time angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure, 767

Angiotensin I receptor blockers
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Angiotensin II
Gradual reactivation over time of vascular time angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure, 767

Angiotensin II receptor blockers
Angiotensin II receptor blockade does not improve left ventricular function and remodeling in subacute mitral regurgitation in the dog, 1374
Angiotensin receptor blockers in heart failure: meta-analysis of randomized controlled trials, 463

Antibiotics
Risk of embolization after institution of antibiotic therapy for infective endocarditis, 1489

Anticoagulation
Embolic events in patients with atrial fibrillation and effective anticoagulation: value of trans-esophageal echocardiography to guide direct-current cardioversion, 1436

Antioxidants
Antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model, 907
Postprandial endothelial activation in healthy subjects and in type 2 diabetic patients: role of fat and carbohydrate meals, 1145

Antisense oligonucleotides
Intramural coronary delivery of advanced antisense oligonucleotides reduces neointimal formation in the porcine stent restenosis model, 1686
Local intracoronary administration of antisense oligonucleotide against c-myc for the prevention of in-stent restenosis, 281

Aorta
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139
Management of aortic intramural hematoma (letter), 180
Predictors of aneurysmal formation after surgical correction of aortic coarctation, 617
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Aortic aneurysm
Predictors of aneurysmal formation after surgical correction of aortic coarctation, 617

Aortic arch
Transcutaneous detection of aortic arch atheromas by suprasternal harmonic imaging, 1127

Aortic sinus cusp
Repetitive monomorphic ventricular tachycardia originating from the aortic sinus cusp, 500

Aortic stenosis
Survival after aortic valve replacement for severe aortic stenosis with low transvalvular gradients and severe left ventricular dysfunction, 1356
Ventricular function in aortic stenosis: how low can you go? (editorial), 1364

Aortic valve
Abstracts, 416A
Progression of human aortic valve stenosis is associated with tenasin-C expression, 96
Survival after aortic valve replacement for severe aortic stenosis with low transvalvular gradients and severe left ventricular dysfunction, 1356
Usefulness of the Cryolife O'Brien stentless suprannular aortic valve to prevent prosthesis-patient mismatch in the small aortic root, 1845

Apical hypertrophic cardiomyopathy
Long-term outcome in patients with apical hypertrophic cardiomyopathy, 638

Apoptosis
Apoptotic pathway activation from mitochondria and death receptors without caspase-3 cleavage in failing human myocardium, 481
Severe energy deprivation of human hibernating myocardium as possible common, pathomechanism of contractile dysfunction, structural degeneration and cell death, 1189
Time courses of apoptosis and cell proliferation and their relationship to arterial remodeling and restenosis after angioplasty in an atherosclerotic rabbit model, 1680

L-Arginine
Effect of supplemental L-arginine on tolerance development during continuous transdermal nitroglycerin therapy, 1199
Oral L-arginine (and other active ingredients) for ischemic heart disease? (editorial), 46
Presence of African American race predicts improvement in coronary endothelial function after supplementary L-arginine, 1314
Randomized trial of a medical food for the dietary management of chronic, stable angina, 37

Arrhythmias
See also Atrial fibrillation; Atrial flutter; Tachycardia; Ventricular fibrillation
Abstracts, 77A
Inter-relations among declines in arterial distensibility, baroreflex function and respiratory sinus arrhythmia, 1524
Origin of ischemia-induced phase 1b ventricular arrhythmias in pig hearts, 166

Arrhythmogenic right ventricular dysplasia/cardiomyopathy
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892

Arterial distensibility
Inter-relations among declines in arterial distensibility, baroreflex function and respiratory sinus arrhythmia, 1524
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Arterial pressure
Cerebral blood flow velocity declines before arterial pressure in patients with orthostatic vasovagal presyncope, 1039

Arterial thrombus
In vivo noninvasive detection and age definition of arterial thrombus by MRI, 1366

Arteries
See Brachial artery; Carotid arteries; Coronary arteries

Arteriogenesis
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220

Aspirin
Influence of prehospital administration of aspirin and heparin on initial patency of the infarct-related artery in patients with acute ST elevation myocardial infarction, 1733

Atheromas
Transcutaneous detection of aortic arch atheromas by suprasternal harmonic imaging, 1127

Atherosclerosis
See also Coronary artery disease
Association between coronary calcification assessed by electron beam computed tomography and measures of extracoronary atherosclerosis, 1745
Bedside quantification of atherosclerosis severity for cardiovascular risk stratification: a prospective cohort study, 702
Effects of probucol and pravastatin on common carotid atherosclerosis in patients with asymptomatic hypercholesterolemia, 610
Ethnic differences in coronary atherosclerosis, 408
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139
Identification, regulation and function of a novel lectin-like oxidized low-density lipoprotein receptor, 1429
Near-infrared spectroscopic characterization of human advanced atherosclerotic plaques, 1305
Particulate air pollution induces progression of atherosclerosis, 935
Transcutaneous detection of aortic arch atheromas by suprasternal harmonic imaging, 1127
Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: comparison with intravascular ultrasound, 604
Athletes
Intrinsic sinus and atrioventricular node electrophysiologic adaptations in endurance athletes, 1033
Atorvastatin
Atorvastatin decreases vascular endothelial growth factor in patients with coronary artery disease, 1951
Atria
Electrogram polarity reversal as an additional indicator of breakthroughs from the left atrium to the pulmonary veins, 1337
Plasma atrial natriuretic peptide concentration inversely correlates with left atrial collagen volume fraction in patients with atrial fibrillation, 288
Prognostic model for predicting the disappearance of left atrial thrombi among candidates for percutaneous transvenous mitral commissurotomy, 886
Relative expression of immunolocalized connexins 40 and 43 correlates with human atrial conduction properties, 116
Sensitivity and specificity of concealed entrainment for the identification of a critical isthmus in the atrium: relationship to rate, anatomic location and antidromic penetration, 896
Atrial fibrillation
Action potential duration restitution kinetics in human atrial fibrillation, 1329
Atrial fibrillation-induced gap junctional remodeling (letter), 1709
Biphasic vs monophasic shock waveform for conversion of atrial fibrillation: the results of an international randomized, double-blind multicenter trial, 1956
Cardiac resynchronization in patients with congestive heart failure and chronic atrial fibrillation, 1258
Clinical value of left atrial appendage flow for prediction of long-term sinus rhythm maintenance in patients with nonvalvular atrial fibrillation, 1443
Effects of thyroid hormone on the arrhythmogenic activity of pulmonary vein cardiomyocytes, 366
Embolic events in patients with atrial fibrillation and effective anticoagulation: value of trans-esophageal echocardiography to guide direct-current cardioversion, 1436
Intracardiac echocardiography-guided, anatomically-based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins, 1964
Isolated annular dilation does not usually cause important functional mitral regurgitation, 1651
Left atrial versus bi-atrial maze operation using intraoperatively cooled-tip radiofrequency ablation in patients undergoing open-heart surgery, 1644
Plasma atrial natriuretic peptide concentration inversely correlates with left atrial collagen volume fraction in patients with atrial fibrillation, 288
Atrial flutter
Double potentials analysis as a guide to radiofrequency ablation of atrial flutter (letter), 916
Atrial natriuretic peptide
Plasma atrial natriuretic peptide concentration inversely correlates with left atrial collagen volume fraction in patients with atrial fibrillation, 288
Atrial septal defect
Comparison between transcatheter and surgical closure of secundum atrial septal defect in children and adults, 1836
Early and late complications associated with transcatheter occlusion of secundum atrial septal defect, 1061
Atrioventricular block
Autosomal dominant dilated cardiomyopathy with atrioventricular block: a lamin A/C defect-related disease, 981
Outcome of children with fetal, neonatal, or childhood diagnosis of isolated congenital atrioventricular block, 130
Walter Gaskell and the understanding of atrioventricular conduction and block, 1574
Atrioventricular node
Cardiac resynchronization therapy restores optimal atrioventricular mechanical timing in heart failure patients with ventricular conduction delay, 1163
Intrinsic sinus and atrioventricular node electrophysiologic adaptations in endurance athletes, 1033
Atrioventricular node re-entrant tachycardia
Is electrical stimulation during administration of catecholamines required for the evaluation of success after ablation of atrioventricular node re-entrant tachycardias?, 689
Autoantibodies
Relationship of myocardial remodeling to the genesis of serum autoantibodies to cardiac beta$_1$-adrenoceptors and muscarinic type 2 acetylcholine receptors in rats, 1866
Removal of cardiodepressant antibodies in dilated cardiomyopathy by immunoadsorption, 646
Autonomic nervous system
Autonomic nervous system influences on QT interval in normal subjects, 1820
Balloon angioplasty
Coronary hemodynamics of stent implantation after suboptimal and optimal balloon angioplasty, 1513
Pharmacologic preconditioning of estrogen by activation of the myocardial adenosine triphosphate-sensitive potassium channel in patients undergoing coronary angioplasty, 871
Randomized comparison of the value of additional stenting after optimal balloon angioplasty for long coronary lesions, 393
Baroreflex
Inter-relations among declines in arterial distensibility, baroreflex function and respiratory sinus arrhythmia, 1524
Beraprost sodium
Effects of beraprost sodium, an oral prostacyclin analogue, in patients with pulmonary arterial hypertension: a randomized, double-blind, placebo-controlled trial, 1496
Beta$_1$-adrenoceptors
Relationship of myocardial remodeling to the genesis of serum autoantibodies to cardiac beta$_1$-adrenoceptors and muscarinic type 2 acetylcholine receptors in rats, 1866
Beta-blockers
See also specific drug
Differential effects of beta-blockade on dispersion of repolarization in absence and presence of sympathetic stimulation between LQT1 and LQT2 forms of congenital long QT syndrome, 1984
Impact of beta-blocker treatment on the prognostic value of currently used risk indicators in congestive heart failure, 1615
Beta myosin heavy chain
Prevalence and age-dependence of malignant mutations in the beta myosin heavy chain and troponin T genes in hypertrophic cardiomyopathy: a comprehensive outpatient perspective, 2042
Biopsy
Are we clear about the mechanisms by which biopsy evidence of interstitial fibrosis following cardiac transplantation helps predict late post-transplant coronary artery disease? (editorial), 978
Biphasic shock
Biphasic vs monophasic shock waveform for conversion of atrial fibrillation: the results of an international randomized, double-blind multicenter trial, 1956
Biventricular pacing
Cardiac resynchronization in patients with congestive heart failure and chronic atrial fibrillation, 1258
Doppler myocardial imaging to evaluate the effectiveness of pacing sites in patients receiving biventricular pacing, 489
Initial experience with an implantable cardioverter-defibrillator incorporating cardiac resynchronization therapy, 790
Quantitation of basal dyssynchrony and acute resynchronization from left or biventricular pacing by novel echo-contrast variability imaging, 2052
Blood pressure
See also Hypertension
Intensive cholesterol reduction lowers blood pressure and large artery stiffness in isolated systolic hypertension, 1020
Postexercise blood pressure reduction in elderly hypertensive patients, 676
Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects, 878
Body mass index
Impact of body mass index on short- and long-

term outcomes in patients undergoing coronary revascularization, 834
Impact of obesity on the short-term and long-term outcomes after percutaneous coronary intervention: the obesity paradox?, 578
Obesity, weight reduction and survival in heart failure (letter), 1563

BR14
Detection of coronary stenosis and myocardial viability using a single intravenous bolus injection of BR14, 523
Myocardial and microcirculatory kinetics of BR14, a novel third-generation intravenous ultrasound contrast agent, 530

Brachial artery
Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery, 257

Brachytherapy
Quantitative angiographic methods for appropriate end-point analysis, edge-effect evaluation, and prediction of recurrent restenosis after coronary brachytherapy with gamma irradiation, 274
Vascular morphometric changes after radioactive stent implantation: a dose-response analysis, 400

Brain natriuretic peptide
Increased plasma brain natriuretic peptide level as a guide for silent myocardial ischemia in patients with non-obstructive hypertrophic cardiomyopathy, 1657
Utility of a BNP as a marker for RV dysfunction in acute pulmonary embolism (letter), 2080
Utility of a rapid B-natriuretic peptide assay in differentiating congestive heart failure from lung disease in patients presenting with dyspnea, 202

Brugada syndrome
Electrophysiologic characteristics and implications of induced ventricular fibrillation in symptomatic patients with Brugada syndrome, 1799
Epicardial electrogram at the right ventricular outflow tract in patients with Brugada syndrome: using the epicardial lead, 1992
Late potentials and the Brugada syndrome (editorial), 1996
Prognostic value of electrophysiologic studies in Brugada syndrome (editorial), 1806

Bypass graft surgery
See Coronary artery bypass graft

Calcifications
Cardiac calcification in adult hemodialysis patients, 695

Calcium
High coronary artery calcium scores pose an extremely elevated risk for hard events, 225

Calcium channel blockers
Evidence-based evaluation of calcium channel blockers in hypertension, 315

Captopril
Comparison of the effects of an angiotensin-converting enzyme inhibitor and a vasopeptidase inhibitor after myocardial infarction in the rat, 1692

Cardiac calcifications
Cardiac calcification in adult hemodialysis patients, 695

Cardiac denervation
Cardiac sympathetic denervation modulates the sympathoexcitatory response to acute myocardial ischemia, 436

Cardiac function
Abstracts, 128A
Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction, 2059

Cardiac resynchronization
Retiming the failing heart: principles and current clinical status of cardiac resynchronization, 194

Cardiac senescence
Four-year-old rabbit cannot be considered the right model for investigating cardiac senescence (letter), 1701

Cardiac transplantation
See Heart transplantation

Cardiodepressant antibodies
Removal of cardiodepressant antibodies in dilated cardiomyopathy by immunoadsorption, 646

Cardiologists
President's page: cardiologists without borders, 178
President's page: fighting terrorism: our role as physicians, 739
President's page: the ACC and advocacy: a strong voice for cardiovascular specialists, 1699
President's page: there's already a shortage, and it's getting worse!, 2077

Cardiology
N-acetylcysteine in acute cardiology: 10 years later, 1422

Cardiomyocytes
Apoptotic pathway activation from mitochondria and death receptors without caspase-3 cleavage in failing human myocardium, 481
Effects of thyroid hormone on the arrhythmogenic activity of pulmonary vein cardiomyocytes, 366
Left ventricular assist device in end-stage heart failure: persistence of structural myocyte damage after unloading, 963

Cardiomyopathy
See also Dilated cardiomyopathy; Hypertrophic cardiomyopathy
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892
Ischemic cardiomyopathy: a historical note (letter), 1564
Isolated ventricular noncompaction is associated with coronary microcirculation dysfunction, 450
Periodic rescreening is indicated for family members at risk of developing familial dilated cardiomyopathy, 1503
Standardized definition of ischemic cardiomyopathy for use in clinical research, 210

Cardioprotection
Na^+/H^+ exchange inhibitors for cardioprotective therapy: progress, problems and prospects, 747

Cardiopulmonary bypass
Percutaneous revascularization versus beating heart CAGB or CABG with cardiopulmonary bypass in patients with refractory myocardial ischemia (letter), 555

Cardiotropic viruses
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892

Cardiovascular disease
Dietary fiber and prevention of cardiovascular disease (editorial), 57
Prospective study of dietary fiber intake and risk of cardiovascular disease among women, 49
Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects, 878

Cardioversion
Embolic events in patients with atrial fibrillation and effective anticoagulation: value of trans-esophageal echocardiography to guide direct-current cardioversion, 1436

Cardioverter-defibrillator
See Defibrillators and defibrillation

Carotid arteries
Effects of probucol and pravastatin on common carotid atherosclerosis in patients with asymptomatic hypercholesterolemia, 610
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139
Multicenter evaluation of carotid artery stenting with a filter protection system, 841
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Caspase-3
Apoptotic pathway activation from mitochondria and death receptors without caspase-3 cleavage in failing human myocardium, 481

Catecholamines
Is electrical stimulation during administration of catecholamines required for the evaluation of success after ablation of atrioventricular node re-entrant tachycardias?, 689

Cell proliferation
Time courses of apoptosis and cell proliferation and their relationship to arterial remodeling and restenosis after angioplasty in an atherosclerotic rabbit model, 1680

Cerebral blood flow velocity
Cerebral blood flow velocity declines before arterial pressure in patients with orthostatic vasovagal presyncope, 1039

Cerebral ischemia
Transcatheter closure of patent foramen ovale in patients with cerebral ischemia, 2019

Children
See Pediatric cardiology

Chlamydia pneumoniae
Cytokine gene polymorphisms and development of CAD associated with CP infection (letter), 918

Cholesterol
See also Hypercholesterolemia
Effects of probucol and pravastatin on common carotid atherosclerosis in patients with asymptomatic hypercholesterolemia, 610
Intensive cholesterol reduction lowers blood pressure and large artery stiffness in isolated systolic hypertension, 1020

Chronic heart failure
See Heart failure

Cigarette smoking
See Smoking

Climate
Heart failure in a cold climate, 760

Clinical studies
Biology of bias: practice patterns and long-term outcomes for men and women with acute myocardial infarction, 1909

Clinical benefits of low serum digoxin concentrations in heart failure, 946
Confirmation of a heart failure epidemic: findings from the Resource Utilization Among Congestive Heart Failure (REACH) Study, 60
Contemporary overview of percutaneous coronary interventions, 1098
Continued symptomatic improvement three to five years after transmyocardial revascularization with CO_2 laser, 1588
Effect of completeness of revascularization on event-free survival at one year in the ARTS trial, 559
Eptifibatide and low-dose tissue plasminogen activator in acute myocardial infarction, 377
Magnetic resonance imaging demonstrates improved regional systolic wall motion and thickening and myocardial perfusion of myocardial territories treated by laser myocardial revascularization, 1
Prospective, multicenter, randomized trial of percutaneous transmyocardial laser revascularization in patients with nonrecanalizable chronic total occlusions, 1581
Randomized trial of transfer for primary angioplasty versus on-site thrombolysis in patients with high-risk myocardial infarction, 1713
Revisiting the culprit lesion in non–Q-wave myocardial infarction: results from the VANQWISH Trial Angiographic Core Laboratory, 1456
In vivo early and mid-term flow-mediated endothelial function of the radial artery used as a coronary bypass graft, 573

Clopidogrel
Meta-analysis of randomized and registry comparisons of ticlopidine with clopidogrel after stenting, 9

c-myc
Intramural coronary delivery of advanced antisense oligonucleotides reduces neointimal formation in the porcine stent restenosis model, 1686
Local intracoronary administration of antisense oligonucleotide against c-myc for the prevention of in-stent restenosis, 281

Coarctation of the aorta
Predictors of aneurysmal formation after surgical correction of aortic coarctation, 617

CO_2 laser
Continued symptomatic improvement three to five years after transmyocardial revascularization with CO_2 laser, 1588

Collagen
Efficacy and safety of percutaneous treatment of iatrogenic femoral artery pseudoaneurysm by biodegradable collagen injection, 1297

Complementary and alternative therapies
Benefits, adverse effects and drug interactions of herbal therapies with cardiovascular effects, 1083

Computed tomography
See Electron beam computed tomography; Single-photon emission computed tomography

Concealed entrainment
Sensitivity and specificity of concealed entrainment for the identification of a critical isthmus in the atrium: relationship to rate, anatomic location and antidromic penetration, 896

Conduction
Relative expression of immunolocalized connexins 40 and 43 correlates with human atrial conduction properties, 116

Congenital heart disease
See also Pediatric cardiology
Comparison between transcatheter and surgical closure of secundum atrial septal defect in children and adults, 1836
Incidence of congenital heart disease, 1890
Influence of patient factors and ablative technologies on outcomes of radiofrequency ablation of intra-atrial re-entrant tachycardia in patients with congenital heart disease, 1827
Long-term outcome of patients with ventricular septal defect considered not to require surgical closure during childhood, 1066
Overproduction of platelet microparticles in cyanotic congenital heart disease with polycythemia, 1072

Congestive heart failure
See Heart failure

Connexins
Relative expression of immunolocalized connexins 40 and 43 correlates with human atrial conduction properties, 116

Contractility
Effects of hypothermia on human left ventricular contractile function during cardiac surgery, 102

Contrast agents
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546
Detection of coronary stenosis and myocardial viability using a single intravenous bolus injection of BR14, 523
Gadolinium-enhanced three-dimensional magnetic resonance angiography of pulmonary and systemic venous anomalies, 335
Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits, 1392
Myocardial and microcirculatory kinetics of BR14, a novel third-generation intravenous ultrasound contrast agent, 530

Contrast variability imaging
Quantitation of basal dyssynchrony and acute resynchronization from left or biventricular pacing by novel echo-contrast variability imaging, 2052

Coronary arteries
Cardiac calcification in adult hemodialysis patients, 695
Coronary flow studies for risk stratification in multivessel disease (editorial), 859
Determinants of coronary artery compliance in subjects with and without angiographic coronary artery disease, 1637
Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease, 852
Pulse transmission coefficient: a novel nonhyperemic parameter for assessing the physiological significance of coronary artery stenoses, 1012
Transient left ventricular apical ballooning without coronary artery stenosis: a form of stunning-like phenomenon? (letter), 741
What constitutes optimal surgical revascularization?, 565

Coronary artery bypass graft
Decreased incidence of postoperative stroke following off-pump coronary artery bypass (letter), 917
Impact of body mass index on short- and long-term outcomes in patients undergoing coronary revascularization, 834
Percutaneous coronary intervention versus coronary bypass graft surgery for patients with medically refractory myocardial ischemia and risk factors for adverse outcomes with bypass, 266
Percutaneous revascularization versus beating heart CAGB or CABG with cardiopulmonary bypass in patients with refractory myocardial ischemia (letter), 555
In vivo early and mid-term flow-mediated endothelial function of the radial artery used as a coronary bypass graft, 573
What constitutes optimal surgical revascularization?, 565

Coronary artery disease
See also Atherosclerosis; Coronary heart disease
Absolute blood flow and oxygen consumption in stunned myocardium in patients with coronary artery disease, 420
Acute effects of heparin administration on the ischemic threshold of patients with coronary artery disease, 413
Are we clear about the mechanisms by which biopsy evidence of interstitial fibrosis following cardiac transplantation helps predict late post-transplant coronary artery disease? (editorial), 978
Assessment of coronary flow reserve: comparison between contrast-enhanced magnetic resonance imaging and positron emission tomography, 864
Atorvastatin decreases vascular endothelial growth factor in patients with coronary artery disease, 1951
C-reactive protein and angiographic coronary artery disease: independent and additive predictors of risk in subjects with angina, 632
Cytokine gene polymorphisms and development of CAD associated with CP infection (letter), 918
Determinants of coronary artery compliance in subjects with and without angiographic coronary artery disease, 1637
Diastolic follow-up pressure gradient relation in coronary stenosis in humans, 1630
Ethnic differences in coronary atherosclerosis, 408
High coronary artery calcium scores pose an extremely elevated risk for hard events, 225
Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease, 323
Increased central pulse pressure and augmentation index in subjects with hypercholesterolemia, 1003
Is early invasive treatment of unstable coronary artery disease equally effective for both women and men? (letter), 1565
Low event rate for stress-only perfusion imaging in patients evaluated for chest pain, 999
Myocardial viability testing and impact of revascularization on prognosis in patients with coronary artery disease and left ventricular dysfunction: a meta-analysis, 1151
Nitroglycerin upregulates matrix metalloproteinase expression by human macrophages, 1943
Pharmacologic preconditioning of estrogen by activation of the myocardial adenosine triphosphate-sensitive potassium channel in patients undergoing coronary angioplasty, 871
Prognostic value of the Duke treadmill score in the elderly, 1475
Standardized definition of ischemic cardiomyopathy for use in clinical research, 210
Stress test criteria used in the conservative arm of

the FRISC-II trial underdetects surgical coronary artery disease when applied to patients in the VANQWISH trial, 1601

Coronary artery fistulae
Management of coronary artery fistulae, 1026

Coronary calcifications
Association between coronary calcification assessed by electron beam computed tomography and measures of extracoronary atherosclerosis, 1745

Coronary flow velocity reserve
Assessment of coronary flow reserve: comparison between contrast-enhanced magnetic resonance imaging and positron emission tomography, 864
Coronary hemodynamics of stent implantation after suboptimal and optimal balloon angioplasty, 1513
Diastolic follow-up pressure gradient relation in coronary stenosis in humans, 1630
Noninvasive assessment of microvascular function in arterial hypertension by transthoracic Doppler harmonic echocardiography, 2012
Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease, 852
Repeated assessment of coronary flow velocity pattern in patients with first acute myocardial infarction, 1283

Coronary heart disease
See also Coronary artery disease
Air pollution as a cause of heart disease (editorial), 943
Soluble intercellular adhesion molecule-1 and long-term risk of acute coronary events in patients with chronic coronary heart disease, 1133

Coronary lesions
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290
Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease, 852
Randomized comparison of the value of additional stenting after optimal balloon angioplasty for long coronary lesions, 393

Coronary microcirculation
Coronary microvascular spasm causes myocardial ischemia in patients with vasospastic angina, 847
Isolated ventricular noncompaction is associated with coronary microcirculation dysfunction, 450
Noninvasive assessment of microvascular function in arterial hypertension by transthoracic Doppler harmonic echocardiography, 2012
Vasodilator signals from the ischemic myocardium are transduced to the coronary vascular wall by pertussis toxin-sensitive G proteins, 1859

Coronary plaque
Angiographic plaque complexity: the tip of the unstable plaque iceberg (editorial), 1464
Near-infrared spectroscopic characterization of human advanced atherosclerotic plaques, 1305
Particulate air pollution induces progression of atherosclerosis, 935
Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: comparison with intravascular ultrasound, 604

Coronary revascularization
See Revascularization

Coronary spastic angina
Limited role of coronary angioplasty and stenting in coronary spastic angina with organic stenosis, 1120

Coronary vasculopathy
Myocardial ischemia-fibrotic injury after human heart transplantation is associated with increased progression of vasculopathy, decreased cellular rejection and poor long-term outcome, 970
Role of vitronectin receptor (vß3) and tissue factor in the pathogenesis of transplant coronary vasculopathy, 804

Coxsackievirus B3
Role of Fas/FasL pathway in the activation of infiltrating cells in murine acute myocarditis caused by coxsackievirus B3, 1399

C-reactive protein
C-reactive protein and angiographic coronary artery disease: independent and additive predictors of risk in subjects with angina, 632

Creatine kinase
Comparison of cardiac troponin T and creatine kinase-MB for patient evaluation after cardiac surgery, 1518
Myocardial creatine kinase expression after left ventricular assist device support, 1773
Prognostic value of creatine kinase elevations extends across the whole spectrum of acute coronary syndromes, 22

Cryolife O'Brien stentless suprannular aortic valve
Usefulness of the Cryolife O'Brien stentless suprannular aortic valve to prevent prosthesis-patient mismatch in the small aortic root, 1845

Cytokines
Cytokine gene polymorphisms and development of CAD associated with CP infection (letter), 918
Improved post-myocardial infarction survival with probucol in rats: effects on left ventricular function, morphology, cardiac oxidative stress and cytokine expression, 148
Physical training modulates proinflammatory cytokines and the soluble Fas/soluble Fas ligand system in patients with chronic heart failure, 653

Deconditioning
Deconditioning fails to explain peripheral skeletal muscle alterations in men with chronic heart failure, 1170

Defibrillation
Biphasic waveform external defibrillation thresholds for spontaneous ventricular fibrillation secondary to acute ischemia, 359
Electrophysiologically guided amiodarone therapy versus the implantable cardioverter-defibrillator for sustained ventricular tachyarrhythmias after myocardial infarction, 1813
Implantable defibrillator event rates in patients with idiopathic dilated cardiomyopathy, nonsustained ventricular tachycardia on holter and a left ventricular ejection fraction below 30%, 780
Initial experience with an implantable cardioverter-defibrillator incorporating cardiac resynchronization therapy, 790
Primary prevention of sudden death using ICD therapy: incremental steps (editorial), 788
Sudden death in patients with implantable cardioverter defibrillators, 1323

Depression
Patients with CHF and depression have greater risk of mortality and morbidity than patients without depression (letter), 919

Diabetes mellitus
Effect of intracoronary radiation for the treatment of recurrent in-stent restenosis in patients with diabetes mellitus, 1930
Postprandial endothelial activation in healthy subjects and in type 2 diabetic patients: role of fat and carbohydrate meals, 1145

Diastolic flow-pressure gradient
Diastolic follow-up pressure gradient relation in coronary stenosis in humans, 1630

Diastolic heart failure
Diastolic heart failure: neglected or misdiagnosed?, 138

Dichloroacetate
High levels of fatty acids delay the recovery of intracellular pH and cardiac efficiency in post-ischemic hearts by inhibiting glucose oxidation, 718

Diet
Dietary fiber and prevention of cardiovascular disease (editorial), 57
Postprandial endothelial activation in healthy subjects and in type 2 diabetic patients: role of fat and carbohydrate meals, 1145
Prospective study of dietary fiber intake and risk of cardiovascular disease among women, 49
Randomized trial of a medical food for the dietary management of chronic, stable angina, 37

Digoxin
Clinical benefits of low serum digoxin concentrations in heart failure, 946
Low-dose digoxin in patients with heart failure: less toxic and at least as effective? (editorial), 954

Dilated cardiomyopathy
See also Cardiomyopathy
Autosomal dominant dilated cardiomyopathy with atrioventricular block: a lamin A/C defect-related disease, 981
Immunohistologic evidence of myocardial disease in apparently healthy relatives of patients with dilated cardiomyopathy, 455
Implantable defibrillator event rates in patients with idiopathic dilated cardiomyopathy, nonsustained ventricular tachycardia on holter and a left ventricular ejection fraction below 30%, 780
Onset heart rate of microvolt-level T-wave alternans provide clinical and prognostic value in nonischemic dilated cardiomyopathy, 295
Periodic rescreening is indicated for family members at risk of developing familial dilated cardiomyopathy, 1503
Prognostic value of mechanical efficiency in ambulatory patients with idiopathic dilated cardiomyopathy in sinus rhythm, 1264
Removal of cardiodepressant antibodies in dilated cardiomyopathy by immunoadsorption, 646

Distensibility
Inter-relations among declines in arterial distensibility, baroreflex function and respiratory sinus arrhythmia, 1524
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Diuretics
Neurohormonal activation rapidly decreases after intravenous therapy with diuretics and vasodilators for class IV heart failure, 1623

Dobutamine
Dobutamine stress testing revisited (letter), 1708

Effect of nesiritide versus dobutamine on short-term outcomes in the treatment of patients with acutely decompensated heart failure, 798
Effects of dobutamine on cardiac sympathetic activity in patients with congestive heart failure, 1269
Strain rate measurement by Doppler echocardiography allows improved assessment of myocardial viability in patients with depressed left ventricular function, 443

Doppler echocardiography
See also Echocardiography
Doppler myocardial imaging to evaluate the effectiveness of pacing sites in patients receiving biventricular pacing, 489
Noninvasive assessment of microvascular function in arterial hypertension by transthoracic Doppler harmonic echocardiography, 2012
Strain rate measurement by Doppler echocardiography allows improved assessment of myocardial viability in patients with depressed left ventricular function, 443
Usefulness of a 10% air-10% blood-80% saline mixture for contrast echocardiography: Doppler measurement of pulmonary artery systolic pressure, 124

Dosimetry
Vascular morphometric changes after radioactive stent implantation: a dose-response analysis, 400

Double potentials
Double potentials analysis as a guide to radiofrequency ablation of atrial flutter (letter), 916

Drug interactions
Benefits, adverse effects and drug interactions of herbal therapies with cardiovascular effects, 1083

Ductus arteriosus aneurysm
Congenital ductus arteriosus aneurysm (editorial), 348
Isolated neonatal ductus arteriosus aneurysm, 342

Dyspnea
Utility of a rapid B-natriuretic peptide assay in differentiating congestive heart failure from lung disease in patients presenting with dyspnea, 202

Dyssynchrony
Quantitation of basal dyssynchrony and acute resynchronization from left or biventricular pacing by novel echo-contrast variability imaging, 2052

Echocardiography
See also Doppler echocardiography; Dobutamine
Abstracts, 340A
Clinical value of left atrial appendage flow for prediction of long-term sinus rhythm maintenance in patients with nonvalvular atrial fibrillation, 1443
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546
Echocardiographic predictors of adverse outcomes in primary pulmonary hypertension, 1214
Embolic events in patients with atrial fibrillation and effective anticoagulation: value of transesophageal echocardiography to guide direct-current cardioversion, 1436
"Exercise" part of exercise echocardiography (editorial), 1353
Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease, 323
Impact of left ventricular outflow tract area in systolic outflow velocity in hypertrophic cardiomyopathy, 308
Intracardiac echocardiography-guided, anatomically-based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins, 1964
Intracardiac phased-array imaging: methods and initial clinical experience with high resolution, under blood visualization, 509
Noninvasive assessment of microvascular function in arterial hypertension by transthoracic Doppler harmonic echocardiography, 2012
Outcome after abnormal exercise echocardiography for patients with good exercise capacity, 1345
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625
Serial echocardiographic evaluation of restenosis after successful percutaneous mitral commissurotomy, 328
Usefulness of a 10% air-10% blood-80% saline mixture for contrast echocardiography: Doppler measurement of pulmonary artery systolic pressure, 124

Editorials
Activation of vascular time angiotensin-converting enzyme (ACE) in heart failure, 776
Air pollution as a cause of heart disease, 943
Are we clear about the mechanisms by which biopsy evidence of interstitial fibrosis following cardiac transplantation helps predict late post-transplant coronary artery disease?, 978
Congenital ductus arteriosus aneurysm, 348
Coronary flow studies for risk stratification in multivessel disease, 859
Dietary fiber and prevention of cardiovascular disease, 57
Endocarditis beyond the annulus: eat your heart out, 1212
Estrogen therapy for unstable angina, 238
"Exercise" part of exercise echocardiography, 1353
Expanding the reach of primary percutaneous coronary intervention for the treatment of acute myocardial infarction, 1720
Heart hospitals: are they the next wave?, 1236
Implantable left ventricular assist device bridge-to-transplantation: natural selection, or is this the natural selection?, 1247
Inhibition of the renin-angiotensin system and the left ventricular adaptation to mitral regurgitation, 1380
Late potentials and the Brugada syndrome, 1996
Life goes on, 538
Low-dose digoxin in patients with heart failure: less toxic and at least as effective?, 954
Monocytosis and adverse left ventricular remodeling after reperfused myocardial infarction, 247
Myocardial viability and prognosis in patients with ischemic left ventricle dysfunction, 1159
Neurohormonal blockade in chronic heart failure, 79
New year, new editor, new location, new format, new world, 177
Oral L-arginine (and other active ingredients) for ischemic heart disease?, 46
Pressure overload hypertrophy and congestive heart failure, 672
Primary angioplasty for elderly patients with myocardial infarction, 1729
Primary prevention of sudden death using ICD therapy: incremental steps, 788
Prognostic value of electrophysiologic studies in Brugada syndrome, 1806
Pseudonormal or intermediate pattern?, 1796
Role of genotyping in risk factor assessment for sudden death in hypertrophic cardiomyopathy, 2049
10 qualities of an FACC, 1874
Top line mentality, 913
Ventricular function in aortic stenosis: how low can you go?, 1364

Education
Randomized trial of an education and support intervention to prevent readmission of patients with heart failure, 83

Elderly
Heart failure in a cold climate, 760
Postexercise blood pressure reduction in elderly hypertensive patients, 676
Primary angioplasty for elderly patients with myocardial infarction (editorial), 1729
Prognostic value of the Duke treadmill score in the elderly, 1475
Reperfusion therapy in elderly patients with acute myocardial infarction, 1723

Electrocardiography
Anasarca and low electrocardiogram voltage (letter), 742
Clinical value of 12-lead electrocardiography to predict the long-term prognosis of GISSI-1 patients, 1594
Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction, 2059
Epicardial electrogram at the right ventricular outflow tract in patients with Brugada syndrome: using the epicardial lead, 1992
Use of the Grant method to interpret electrocardiograms (letter), 1878

Electrogram polarity reversal
Electrogram polarity reversal as an additional indicator of breakthroughs from the left atrium to the pulmonary veins, 1337

Electron beam computed tomography
Association between coronary calcification assessed by electron beam computed tomography and measures of extracoronary atherosclerosis, 1745

Electrophysiology
Action potential duration restitution kinetics in human atrial fibrillation, 1329
Autonomic nervous system influences on QT interval in normal subjects, 1820
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892
Electrophysiologically guided amiodarone therapy versus the implantable cardioverter-defibrillator for sustained ventricular tachyarrhythmias after myocardial infarction, 1813
Electrophysiologic characteristics and implications of induced ventricular fibrillation in symptomatic patients with Brugada syndrome, 1799
Endocardial wave front organization during ventricular fibrillation in humans, 109
Impact of left ventricular outflow tract area in systolic outflow velocity in hypertrophic cardiomyopathy, 308
Intrinsic sinus and atrioventricular node electrophysiologic adaptations in endurance athletes, 1033
Is electrical stimulation during administration of catecholamines required for the evaluation of

success after ablation of atrioventricular node re-entrant tachycardias?, 689
Onset heart rate of microvolt-level T-wave alternans provide clinical and prognostic value in nonischemic dilated cardiomyopathy, 295
Plasma atrial natriuretic peptide concentration inversely correlates with left atrial collagen volume fraction in patients with atrial fibrillation, 288
Prognostic value of electrophysiologic studies in Brugada syndrome (editorial), 1806
Relative expression of immunolocalized connexins 40 and 43 correlates with human atrial conduction properties, 116
Repetitive monomorphic ventricular tachycardia originating from the aortic sinus cusp, 500

Embolism
See also Thromboembolism; Thrombus
Clinical profile of stroke in 900 patients with hypertrophic cardiomyopathy, 301
Embolic events in patients with atrial fibrillation and effective anticoagulation: value of transesophageal echocardiography to guide direct-current cardioversion, 1436
Risk of embolization after institution of antibiotic therapy for infective endocarditis, 1489

Enalapril
Neurohormonal and clinical responses to high- versus low-dose enalapril therapy in chronic heart failure, 70
Vascular remodeling during healing after myocardial infarction in the dog model, 1538

Endocarditis
Endocarditis beyond the annulus: eat your heart out (editorial), 1212
Periannular extension of infective endocarditis, 1204
Risk of embolization after institution of antibiotic therapy for infective endocarditis, 1489

Endocardium
Endocardial wave front organization during ventricular fibrillation in humans, 109

Endothelial function and dysfunction
Contribution of nicotine to acute endothelial dysfunction in long-term smokers, 251
Growth hormone corrects vascular dysfunction in patients with chronic heart failure, 90
Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery, 257
Heavy and light cigarette smokers have similar dysfunction of endothelial vasoregulatory activity, 1758
In vivo early and mid-term flow-mediated endothelial function of the radial artery used as a coronary bypass graft, 573
Postprandial endothelial activation in healthy subjects and in type 2 diabetic patients: role of fat and carbohydrate meals, 1145
Presence of African American race predicts improvement in coronary endothelial function after supplementary L-arginine, 1314
Repeated sauna treatment improves vascular endothelial and cardiac function in patients with chronic heart failure, 754
Sympathetic activation markedly reduces endothelium-dependent, flow-mediated vasodilation, 683

Endothelin
Short-term endothelin receptor blockade with tezosentan has both immediate and long-term beneficial effects in rats with myocardial infarction, 142

Endothelin-1
Acute effects of heparin administration on the ischemic threshold of patients with coronary artery disease, 413
Chronic endothelin receptor antagonism prevents coronary vasa vasorum neovascularization in experimental hypercholesterolemia, 1555
Crosstalk of endothelin-1 and platelet-derived growth factor in cardiac allograft arteriosclerosis, 710
Heavy and light cigarette smokers have similar dysfunction of endothelial vasoregulatory activity, 1758

End points
Surrogate end points in heart failure, 1414

End-stage renal disease
Cardiac calcification in adult hemodialysis patients, 695

End-systolic volume index
Relationships of left ventricular ejection fraction, end-systolic volume index and infarct size to six-month mortality after hospital discharge following myocardial infarction treated by thrombolysis, 30

Eptifibatide
Eptifibatide and low-dose tissue plasminogen activator in acute myocardial infarction, 377

Essential hypertension
Prognostic significance of left ventricular systolic dysfunction in essential hypertension, 2005

Estrogen
Pharmacologic preconditioning of estrogen by activation of the myocardial adenosine triphosphate-sensitive potassium channel in patients undergoing coronary angioplasty, 871

Ethnicity
Ethnic differences in coronary atherosclerosis, 408

Exercise
See also Stress testing
Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease, 323
Physical training modulates proinflammatory cytokines and the soluble Fas/soluble Fas ligand system in patients with chronic heart failure, 653
Postexercise blood pressure reduction in elderly hypertensive patients, 676

Experimental studies
Addition of spironolactone to angiotensin-converting enzyme inhibition in heart failure improves endothelial vasomotor dysfunction, 351
Angiotensin II receptor blockade does not improve left ventricular function and remodeling in subacute mitral regurgitation in the dog, 1374
Antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model, 907
Arterial repair after stenting and the effects of GM6001, a matrix metalloproteinase inhibitor, 1852
Chronic endothelin receptor antagonism prevents coronary vasa vasorum neovascularization in experimental hypercholesterolemia, 1555
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220
Comparison of the effects of an angiotensin-converting enzyme inhibitor and a vasopeptidase inhibitor after myocardial infarction in the rat, 1692
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546
Crosstalk of endothelin-1 and platelet-derived growth factor in cardiac allograft arteriosclerosis, 710
Decoy oligodeoxynucleotide against activator protein-1 reduces neointimal proliferation after coronary angioplasty in hypercholesterolemic minipigs, 732
Detection of coronary stenosis and myocardial viability using a single intravenous bolus injection of BR14, 523
Effects of thyroid hormone on the arrhythmogenic activity of pulmonary vein cardiomyocytes, 366
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Four-year-old rabbit cannot be considered the right model for investigating cardiac senescence (letter), 1701
Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits, 1392
Improved myocardial ischemia/reperfusion injury in mice lacking tumor necrosis factor-α, 1229
Improved post-myocardial infarction survival with probucol in rats: effects on left ventricular function, morphology, cardiac oxidative stress and cytokine expression, 148
Influence of injection site, microvascular pressure and ultrasound variables on microbubble-mediated delivery of microspheres to muscle, 726
Intramural coronary delivery of advanced antisense oligonucleotides reduces neointimal formation in the porcine stent restenosis model, 1686
Lack of effect of glycoprotein IIb/IIIa blockade on myocardial platelet or polymorphonuclear leukocyte accumulation and on infarct size after transient coronary occlusion in pigs, 157
Origin of ischemia-induced phase 1b ventricular arrhythmias in pig hearts, 166
Particulate air pollution induces progression of atherosclerosis, 935
Relationship of myocardial remodeling to the genesis of serum autoantibodies to cardiac beta$_1$-adrenoceptors and muscarinic type 2 acetylcholine receptors in rats, 1866
Reverse remodeling and enhanced adrenergic reserve from passive external support in experimental dilated heart failure, 2069
Role of Fas/FasL pathway in the activation of infiltrating cells in murine acute myocarditis caused by coxsackievirus B3, 1399
Short-term endothelin receptor blockade with tezosentan has both immediate and long-term beneficial effects in rats with myocardial infarction, 142
Time courses of apoptosis and cell proliferation and their relationship to arterial remodeling and restenosis after angioplasty in an atherosclerotic rabbit model, 1680
Vascular remodeling during healing after myocardial infarction in the dog model, 1538
In vivo noninvasive detection and age definition of arterial thrombus by MRI, 1366

Familial disease
Immunohistologic evidence of myocardial disease in apparently healthy relatives of patients with dilated cardiomyopathy, 455
Periodic rescreening is indicated for family members at risk of developing familial dilated cardiomyopathy, 1503

Fas ligand
Increased plasma levels of the soluble form of Fas ligand in patients with acute myocardial infarction and unstable angina pectoris, 585
Physical training modulates proinflammatory cytokines and the soluble Fas/soluble Fas ligand system in patients with chronic heart failure, 653
Role of Fas/FasL pathway in the activation of infiltrating cells in murine acute myocarditis caused by coxsackievirus B3, 1399
Fatty acids
Acute effects of heparin administration on the ischemic threshold of patients with coronary artery disease, 413
High levels of fatty acids delay the recovery of intracellular pH and cardiac efficiency in post-ischemic hearts by inhibiting glucose oxidation, 718
Femoral artery pseudoaneurysm
Efficacy and safety of percutaneous treatment of iatrogenic femoral artery pseudoaneurysm by biodegradable collagen injection, 1297
Fiber
Dietary fiber and prevention of cardiovascular disease (editorial), 57
Prospective study of dietary fiber intake and risk of cardiovascular disease among women, 49
Fibrillation
See Atrial fibrillation; Ventricular fibrillation
Fibroblasts
Active interstitial remodeling: an important process in the hibernating human myocardium, 1468
Fibrosis
Are we clear about the mechanisms by which biopsy evidence of interstitial fibrosis following cardiac transplantation helps predict late post-transplant coronary artery disease? (editorial), 978
Myocardial ischemia-fibrotic injury after human heart transplantation is associated with increased progression of vasculopathy, decreased cellular rejection and poor long-term outcome, 970
Filling patterns
Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure, 1787
Pseudonormal or intermediate pattern? (editorial), 1796
2-F_2-isoprostane
Vasomotor effects and pathophysiologic relevance of F_2-isoprostane formation in vascular diseases (letter), 554
Fistulae
Management of coronary artery fistulae, 1026
Flecainide
Flecainide and sotalol: a new combination therapy for refractory supraventricular tachycardia in children <1 year of age, 517
Flow-mediated vasodilation
Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery, 257
Sympathetic activation markedly reduces endothelium-dependent, flow-mediated vasodilation, 683
Foramen ovale
Transcatheter closure of patent foramen ovale in patients with cerebral ischemia, 2019
Free wall rupture
Primary angioplasty reduces the risk of left ventricular free wall rupture compared with thrombolysis in patients with acute myocardial infarction, 598
FRISC-II trial
Stress test criteria used in the conservative arm of the FRISC-II trial underdetects surgical coronary artery disease when applied to patients in the VANQWISH trial, 1601
Gadolinium
Gadolinium-enhanced three-dimensional magnetic resonance angiography of pulmonary and systemic venous anomalies, 335
Gadophrin-3
Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits, 1392
Gap junctions
Atrial fibrillation-induced gap junctional remodeling (letter), 1709
Gender
See also Men; Women
Biology of bias: practice patterns and long-term outcomes for men and women with acute myocardial infarction, 1909
Gender differences and normal left ventricular anatomy in an adult population free of hypertension, 1055
Improved outcomes for women undergoing contemporary percutaneous coronary intervention, 1608
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625
Genotyping
Role of genotyping in risk factor assessment for sudden death in hypertrophic cardiomyopathy (editorial), 2049
Glucose oxidation
High levels of fatty acids delay the recovery of intracellular pH and cardiac efficiency in post-ischemic hearts by inhibiting glucose oxidation, 718
Glycoprotein IIb/IIIa
Lack of effect of glycoprotein IIb/IIIa blockade on myocardial platelet or polymorphonuclear leukocyte accumulation and on infarct size after transient coronary occlusion in pigs, 157
GM6001
Arterial repair after stenting and the effects of GM6001, a matrix metalloproteinase inhibitor, 1852
Growth hormone
Growth hormone corrects vascular dysfunction in patients with chronic heart failure, 90
Harmonic imaging
Transcutaneous detection of aortic arch atheromas by suprasternal harmonic imaging, 1127
Heart disease
See Congenital heart disease; Coronary heart disease
Heart failure
Abstracts, 128A
Addition of spironolactone to angiotensin-converting enzyme inhibition in heart failure improves endothelial vasomotor dysfunction, 351
Anemia is associated with worse symptoms, greater impairment in functional capacity and a significant increase in mortality in patients with advanced heart failure, 1780
Angiotensin receptor blockers in heart failure: meta-analysis of randomized controlled trials, 463
Antecedent hypertension and heart failure after myocardial infarction, 1182
Cardiac resynchronization in patients with congestive heart failure and chronic atrial fibrillation, 1258
Cardiac resynchronization therapy restores optimal atrioventricular mechanical timing in heart failure patients with ventricular conduction delay, 1163
Chronic effect of hemodynamically optimized surface resynchronization therapy on patients with heart failure and ventricular conduction delay, 2026
Clinical benefits of low serum digoxin concentrations in heart failure, 946
Confirmation of a heart failure epidemic: findings from the Resource Utilization Among Congestive Heart Failure (REACH) Study, 60
Deconditioning fails to explain peripheral skeletal muscle alterations in men with chronic heart failure, 1170
Diastolic heart failure: neglected or misdiagnosed?, 138
Effect of nesiritide versus dobutamine on short-term outcomes in the treatment of patients with acutely decompensated heart failure, 798
Effects of dobutamine on cardiac sympathetic activity in patients with congestive heart failure, 1269
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Gradual reactivation over time of vascular time angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure, 767
Growth hormone corrects vascular dysfunction in patients with chronic heart failure, 90
Heart failure in a cold climate, 760
Heart failure in pressure overload hypertrophy, 664
Impact of beta-blocker treatment on the prognostic value of currently used risk indicators in congestive heart failure, 1615
Implantation of the permanent Jarvik-2000 left ventricular assist device, 1764
Initial experience with an implantable cardioverter-defibrillator incorporating cardiac resynchronization therapy, 790
Is a high hematocrit level good for patients with heart failure? (letter), 1703
Left ventricular assist device in end-stage heart failure: persistence of structural myocyte damage after unloading, 963
Left ventricular assist device therapy improves utilization of donor hearts, 1247
Low-dose digoxin in patients with heart failure: less toxic and at least as effective? (editorial), 954
Neurohormonal activation rapidly decreases after intravenous therapy with diuretics and vasodilators for class IV heart failure, 1623
Neurohormonal and clinical responses to high- versus low-dose enalapril therapy in chronic heart failure, 70
Neurohormonal blockade in chronic heart failure (editorial), 79
Obesity, weight reduction and survival in heart failure (letter), 1563
Optimal "dose" of disease management programs in HF (letter), 2080
Patients with CHF and depression have greater risk of mortality and morbidity than patients without depression (letter), 919
Physical training modulates proinflammatory cytokines and the soluble Fas/soluble Fas

ligand system in patients with chronic heart failure, 653
Plasma oxidized low-density lipoprotein as a prognostic predictor in patients with chronic congestive heart failure, 957
Pressure overload hypertrophy and congestive heart failure (editorial), 672
Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure, 1787
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275
Randomized trial of an education and support intervention to prevent readmission of patients with heart failure, 83
Randomized trial of the efficacy of multidisciplinary care in heart failure outpatients at high risk of hospital readmission, 471
Reduction of insulin-like growth factor-1 expression in the skeletal muscle of noncachectic patients with chronic heart failure, 1175
Regulation and measurement of plasma volume in heart failure, 1901
Repeated sauna treatment improves vascular endothelial and cardiac function in patients with chronic heart failure, 754
Retiming the failing heart: principles and current clinical status of cardiac resynchronization, 194
Reverse remodeling and enhanced adrenergic reserve from passive external support in experimental dilated heart failure, 2069
Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction, 1450
Standardized definition of ischemic cardiomyopathy for use in clinical research, 210
Statins and chronic heart failure: do we need a large-scale outcome trial?, 1567
Surrogate end points in heart failure, 1414
Utility of a rapid B-natriuretic peptide assay in differentiating congestive heart failure from lung disease in patients presenting with dyspnea, 202
Vasopeptidase inhibition with omapatrilat in chronic heart failure: acute and long-term hemodynamic and neurohormonal effects, 2034

Heart rate
Onset heart rate of microvolt-level T-wave alternans provide clinical and prognostic value in nonischemic dilated cardiomyopathy, 295

Heart transplantation
Are we clear about the mechanisms by which biopsy evidence of interstitial fibrosis following cardiac transplantation helps predict late post-transplant coronary artery disease? (editorial), 978
Implantable left ventricular assist device bridge-to-transplantation: natural selection, or is this the natural selection? (editorial), 1247
Implantation of the permanent Jarvik-2000 left ventricular assist device, 1764
Interleukin-6/interleukin-6 receptor system is activated in donor hearts, 1508
Left ventricular assist device therapy improves utilization of donor hearts, 1247
Myocardial ischemia-fibrotic injury after human heart transplantation is associated with increased progression of vasculopathy, decreased cellular rejection and poor long-term outcome, 970
Role of vitronectin receptor (vß3) and tissue factor in the pathogenesis of transplant coronary vasculopathy, 804

Heart valve surgery
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139

Hematocrit
Is a high hematocrit level good for patients with heart failure? (letter), 1703

Hematoma
Management of aortic intramural hematoma (letter), 180

Hemodialysis
Cardiac calcification in adult hemodialysis patients, 695

Hemodynamics
Coronary hemodynamics of stent implantation after suboptimal and optimal balloon angioplasty, 1513
Vasopeptidase inhibition with omapatrilat in chronic heart failure: acute and long-term hemodynamic and neurohormonal effects, 2034

Heparin
Acute effects of heparin administration on the ischemic threshold of patients with coronary artery disease, 413
Influence of prehospital administration of aspirin and heparin on initial patency of the infarct-related artery in patients with acute ST elevation myocardial infarction, 1733
Rebound thrombin generation after heparin therapy in unstable angina, 811

Herbal therapy
Benefits, adverse effects and drug interactions of herbal therapies with cardiovascular effects, 1083

Hibernating myocardium
Active interstitial remodeling: an important process in the hibernating human myocardium, 1468
Histology of viable and hibernating myocardium in relation to imaging characteristics, 428
Severe energy deprivation of human hibernating myocardium as possible common, pathomechanism of contractile dysfunction, structural degeneration and cell death, 1189

Historical vignette
Walter Gaskell and the understanding of atrioventricular conduction and block, 1574

HMG-CoA reductase inhibitors
Increased transforming growth factor-beta$_1$ circulating levels and production in human monocytes after 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase inhibition with pravastatin, 1752
Statins and chronic heart failure: do we need a large-scale outcome trial?, 1567

Hormone therapy
Effects of acute hormone therapy on recurrent ischemia in postmenopausal women with unstable angina, 231
Estrogen therapy for unstable angina (editorial), 238

Hospital(s)
Heart hospitals: are they the next wave? (editorial), 1236

Hospitalization
Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure, 1787
Randomized trial of the efficacy of multidisciplinary care in heart failure outpatients at high risk of hospital readmission, 471

Hypercholesterolemia
See also Lipoproteins
Chronic endothelin receptor antagonism prevents coronary vasa vasorum neovascularization in experimental hypercholesterolemia, 1555
Effects of probucol and pravastatin on common carotid atherosclerosis in patients with asymptomatic hypercholesterolemia, 610
Increased central pulse pressure and augmentation index in subjects with hypercholesterolemia, 1003

Hyperoxemia
Initial experience with hyperoxemic reperfusion after primary angioplasty for acute myocardial infarction, 387

Hypertension
See also Pulmonary hypertension
Abstracts, 202A
Antecedent hypertension and heart failure after myocardial infarction, 1182
Evidence-based evaluation of calcium channel blockers in hypertension, 315
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Hypertensive response to exercise: a potential cause for new wall motion abnormality in the absence of coronary artery disease, 323
Intensive cholesterol reduction lowers blood pressure and large artery stiffness in isolated systolic hypertension, 1020
Noninvasive assessment of microvascular function in arterial hypertension by transthoracic Doppler harmonic echocardiography, 2012
Postexercise blood pressure reduction in elderly hypertensive patients, 676
Prognostic significance of left ventricular systolic dysfunction in essential hypertension, 2005
Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects, 878

Hypertrophic cardiomyopathy
See also Cardiomyopathy
Clinical profile of stroke in 900 patients with hypertrophic cardiomyopathy, 301
Impact of left ventricular outflow tract area in systolic outflow velocity in hypertrophic cardiomyopathy, 308
Increased plasma brain natriuretic peptide level as a guide for silent myocardial ischemia in patients with non-obstructive hypertrophic cardiomyopathy, 1657
Late-onset primary LVH: HCM versus cardiac Fabry variant (letter), 1405
Long-term outcome in patients with apical hypertrophic cardiomyopathy, 638
Prevalence and age-dependence of malignant mutations in the beta myosin heavy chain and troponin T genes in hypertrophic cardiomyopathy: a comprehensive outpatient perspective, 2042
Role of genotyping in risk factor assessment for sudden death in hypertrophic cardiomyopathy (editorial), 2049

Hypertrophy
Antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model, 907

JACC Vol. 39, No. 12, 2002
June 19, 2002:2088–108

Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Heart failure in pressure overload hypertrophy, 664
Pressure overload hypertrophy and congestive heart failure (editorial), 672

Hypothermia
Effects of hypothermia on human left ventricular contractile function during cardiac surgery, 102

Immunoadsorption
Removal of cardiodepressant antibodies in dilated cardiomyopathy by immunoadsorption, 646

Implantable cardioverter-defibrillators
See Defibrillators and defibrillation

Infarction
See Myocardial infarction

Infarct-related artery
Influence of prehospital administration of aspirin and heparin on initial patency of the infarct-related artery in patients with acute ST elevation myocardial infarction, 1733

Infective endocarditis
Periannular extension of infective endocarditis, 1204
Risk of embolization after institution of antibiotic therapy for infective endocarditis, 1489

Inflammation
Systemic inflammation in unstable angina is the result of myocardial necrosis, 1917

Inotropes
Left ventricular assist device therapy improves utilization of donor hearts, 1247

Insulin-like growth factor-1
Reduction of insulin-like growth factor-1 expression in the skeletal muscle of noncachectic patients with chronic heart failure, 1175

Integrins
Role of vitronectin receptor (vß3) and tissue factor in the pathogenesis of transplant coronary vasculopathy, 804

Intercellular adhesion molecule-1
Soluble intercellular adhesion molecule-1 and long-term risk of acute coronary events in patients with chronic coronary heart disease, 1133

Interleukin-6
Interleukin-6/interleukin-6 receptor system is activated in donor hearts, 1508

Interventional cardiology
Abstracts, 1A
Contemporary overview of percutaneous coronary interventions, 1098
Coronary hemodynamics of stent implantation after suboptimal and optimal balloon angioplasty, 1513
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290
Improved outcomes for women undergoing contemporary percutaneous coronary intervention, 1608
Initial experience with hyperoxemic reperfusion after primary angioplasty for acute myocardial infarction, 387
Local intracoronary administration of antisense oligonucleotide against c-myc for the prevention of in-stent restenosis, 281
Magnetic resonance imaging demonstrates improved regional systolic wall motion and thickening and myocardial perfusion of myocardial territories treated by laser myocardial revascularization, 1
Management of coronary artery fistulae, 1026
Meta-analysis of randomized and registry comparisons of ticlopidine with clopidogrel after stenting, 9
Percutaneous coronary intervention versus coronary bypass graft surgery for patients with medically refractory myocardial ischemia and risk factors for adverse outcomes with bypass, 266
Primary angioplasty and selection bias in patients presenting late (<12 h) after onset of chest pain and ST elevation myocardial infarction, 826
Prognostic significance of elevated troponin I after percutaneous coronary intervention, 1738

Intima
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139

Intra-atrial re-entrant tachycardia
Influence of patient factors and ablative technologies on outcomes of radiofrequency ablation of intra-atrial re-entrant tachycardia in patients with congenital heart disease, 1827

Intracoronary radiation therapy
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290

Ischemia
See Myocardial ischemia

Isolated ventricular noncompaction
Isolated ventricular noncompaction is associated with coronary microcirculation dysfunction, 450

Isthmus
Sensitivity and specificity of concealed entrainment for the identification of a critical isthmus in the atrium: relationship to rate, anatomic location and antidromic penetration, 896

Jarvik-2000
Implantation of the permanent Jarvik-2000 left ventricular assist device, 1764

Lamin A/C gene defects
Autosomal dominant dilated cardiomyopathy with atrioventricular block: a lamin A/C defect-related disease, 981

Laser
Continued symptomatic improvement three to five years after transmyocardial revascularization with CO_2 laser, 1588

Laser myocardial revascularization
Magnetic resonance imaging demonstrates improved regional systolic wall motion and thickening and myocardial perfusion of myocardial territories treated by laser myocardial revascularization, 1

Left atrial appendage
Clinical value of left atrial appendage flow for prediction of long-term sinus rhythm maintenance in patients with nonvalvular atrial fibrillation, 1443

Left atrial thrombi
Prognostic model for predicting the disappearance of left atrial thrombi among candidates for percutaneous transvenous mitral commissurotomy, 886

Left atrium
Electrogram polarity reversal as an additional indicator of breakthroughs from the left atrium to the pulmonary veins, 1337

Left ventricle
Angiotensin II receptor blockade does not improve left ventricular function and remodeling in subacute mitral regurgitation in the dog, 1374
Antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model, 907
Diastolic heart failure: neglected or misdiagnosed?, 138
Doppler myocardial imaging to evaluate the effectiveness of pacing sites in patients receiving biventricular pacing, 489
Effects of hypothermia on human left ventricular contractile function during cardiac surgery, 102
Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction, 2059
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Gender differences and normal left ventricular anatomy in an adult population free of hypertension, 1055
Immunohistologic evidence of myocardial disease in apparently healthy relatives of patients with dilated cardiomyopathy, 455
Improved post-myocardial infarction survival with probucol in rats: effects on left ventricular function, morphology, cardiac oxidative stress and cytokine expression, 148
Inhibition of the renin-angiotensin system and the left ventricular adaptation to mitral regurgitation (editorial), 1380
Late-onset primary LVH: HCM versus cardiac Fabry variant (letter), 1405
Left ventricular assist device in end-stage heart failure: persistence of structural myocyte damage after unloading, 963
Monocytosis and adverse left ventricular remodeling after reperfused myocardial infarction (editorial), 247
Myocardial viability and prognosis in patients with ischemic left ventricle dysfunction (editorial), 1159
Myocardial viability testing and impact of revascularization on prognosis in patients with coronary artery disease and left ventricular dysfunction: a meta-analysis, 1151
Outcome after abnormal exercise echocardiography for patients with good exercise capacity, 1345
Physical activity attenuates the effect of increased left ventricular mass on the risk of ischemic stroke, 1482
Primary angioplasty reduces the risk of left ventricular free wall rupture compared with thrombolysis in patients with acute myocardial infarction, 598
Prognostic significance of peripheral monocytosis after reperfused acute myocardial infarction: a possible role for left ventricular remodeling, 241
Repeated assessment of coronary flow velocity pattern in patients with first acute myocardial infarction, 1283
Strain rate measurement by Doppler echocardiography allows improved assessment of myocardial viability in patients with depressed left ventricular function, 443

Survival after aortic valve replacement for severe aortic stenosis with low transvalvular gradients and severe left ventricular dysfunction, 1356
Transient ischemia as a possible etiology for ventricular dysfunction (letter), 181
Transient left ventricular apical ballooning without coronary artery stenosis: a form of stunning-like phenomenon? (letter), 741
Utility of a rapid B-natriuretic peptide assay in differentiating congestive heart failure from lung disease in patients presenting with dyspnea, 202
Ventricular function in aortic stenosis: how low can you go? (editorial), 1364

Left ventricle outflow tract
Impact of left ventricular outflow tract area in systolic outflow velocity in hypertrophic cardiomyopathy, 308

Left ventricular assist device
Implantable left ventricular assist device bridge-to-transplantation: natural selection, or is this the natural selection? (editorial), 1247
Implantation of the permanent Jarvik-2000 left ventricular assist device, 1764
Left ventricular assist device therapy improves utilization of donor hearts, 1247
Myocardial creatine kinase expression after left ventricular assist device support, 1773

Left ventricular ejection fraction
Continued symptomatic improvement three to five years after transmyocardial revascularization with CO_2 laser, 1588
Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction, 2059
Implantable defibrillator event rates in patients with idiopathic dilated cardiomyopathy, nonsustained ventricular tachycardia on holter and a left ventricular ejection fraction below 30%, 780
Relationships of left ventricular ejection fraction, end-systolic volume index and infarct size to six-month mortality after hospital discharge following myocardial infarction treated by thrombolysis, 30

Left ventricular end-diastolic pressure
Cardiac resynchronization therapy restores optimal atrioventricular mechanical timing in heart failure patients with ventricular conduction delay, 1163

Left ventricular systolic dysfunction
Prevalence of treatable left ventricular systolic dysfunction in patients who present with noncardiac vascular episodes, 219
Prognostic significance of left ventricular systolic dysfunction in essential hypertension, 2005

Letters to the editor
Anasarca and low electrocardiogram voltage, 742
Atrial fibrillation-induced gap junctional remodeling, 1709
Complications of vascular closure devices—not yet evidence based, 1705
Cytokine gene polymorphisms and development of CAD associated with CP infection, 918
Decreased incidence of postoperative stroke following off-pump coronary artery bypass, 917
Dobutamine stress testing revisited, 1708
Double potentials analysis as a guide to radiofrequency ablation of atrial flutter, 916
Four-year-old rabbit cannot be considered the right model for investigating cardiac senescence, 1701
Is a high hematocrit level good for patients with heart failure?, 1703
Ischemic cardiomyopathy: a historical note, 1564
Is early invasive treatment of unstable coronary artery disease equally effective for both women and men?, 1565
Late-onset primary LVH: HCM versus cardiac Fabry variant, 1405
Management of aortic intramural hematoma, 180
Obesity, weight reduction and survival in heart failure, 1563
Optimal "dose" of disease management programs in HF, 2080
Paradigm shift in myocardial stunning, 1710
Patients with CHF and depression have greater risk of mortality and morbidity than patients without depression, 919
Percutaneous revascularization versus beating heart CAGB or CABG with cardiopulmonary bypass in patients with refractory myocardial ischemia, 555
Perpetuation of the myth of the Q-wave versus the non–Q-wave myocardial infarction, 556
Prognostic significance of immune activation after acute coronary syndromes, 1878
Pulse wave reflection in pulmonary hypertension, 743
Revascularizing chronic total occlusions: what about the coronary collaterals and myocardial viability story?, 1702
Scopolamine?, 744
Stent with extent—fiction or prophecy?, 558
Transient ischemia as a possible etiology for ventricular dysfunction, 181
Transient left ventricular apical ballooning without coronary artery stenosis: a form of stunning-like phenomenon?, 741
Troponin T in acute coronary syndromes: mechanisms and management issues, 1404
Use of the Grant method to interpret electrocardiograms, 1878
Utility of a BNP as a marker for RV dysfunction in acute pulmonary embolism, 2080
Vasomotor effects and pathophysiologic relevance of F_2-isoprostane formation in vascular diseases, 554

Lipoproteins
See Low density lipoprotein

Lisinopril
Gradual reactivation over time of vascular time angiotensin I to angiotensin II conversion during chronic lisinopril therapy in chronic heart failure, 767

Long QT syndrome
Differential effects of beta-blockade on dispersion of repolarization in absence and presence of sympathetic stimulation between LQT1 and LQT2 forms of congenital long QT syndrome, 1984

Low-density lipoprotein
Identification, regulation and function of a novel lectin-like oxidized low-density lipoprotein receptor, 1429
Plasma oxidized low-density lipoprotein as a prognostic predictor in patients with chronic congestive heart failure, 957

Macrophages
Nitroglycerin upregulates matrix metalloproteinase expression by human macrophages, 1943

Magnetic resonance angiography
See also Angiography
Gadolinium-enhanced three-dimensional magnetic resonance angiography of pulmonary and systemic venous anomalies, 335

Magnetic resonance imaging
Abstracts, 340A
Assessment of coronary flow reserve: comparison between contrast-enhanced magnetic resonance imaging and positron emission tomography, 864
Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction, 2059
Gender differences and normal left ventricular anatomy in an adult population free of hypertension, 1055
Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits, 1392
Magnetic resonance imaging demonstrates improved regional systolic wall motion and thickening and myocardial perfusion of myocardial territories treated by laser myocardial revascularization, 1
In vivo noninvasive detection and age definition of arterial thrombus by MRI, 1366

Magnevist
Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits, 1392

Matrix metalloproteinases
Arterial repair after stenting and the effects of GM6001, a matrix metalloproteinase inhibitor, 1852
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Nitroglycerin upregulates matrix metalloproteinase expression by human macrophages, 1943

Mechanical efficiency
Prognostic value of mechanical efficiency in ambulatory patients with idiopathic dilated cardiomyopathy in sinus rhythm, 1264

Medicare
President's page: dollars without the sense, 540
President's page: managing the Medicare mess: what's next?, 1876

Men
Biology of bias: practice patterns and long-term outcomes for men and women with acute myocardial infarction, 1909
Deconditioning fails to explain peripheral skeletal muscle alterations in men with chronic heart failure, 1170
Gender differences and normal left ventricular anatomy in an adult population free of hypertension, 1055
Is early invasive treatment of unstable coronary artery disease equally effective for both women and men? (letter), 1565
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625

N-2-Mercaptopropionyl glycine
Antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model, 907

Microcirculation
Coronary microvascular spasm causes myocardial ischemia in patients with vasospastic angina, 847
Noninvasive assessment of microvascular function in arterial hypertension by transthoracic Doppler harmonic echocardiography, 2012
Vasodilator signals from the ischemic myocardium

are transduced to the coronary vascular wall by pertussis toxin-sensitive G proteins, 1859

Microspheres
Influence of injection site, microvascular pressure and ultrasound variables on microbubble-mediated delivery of microspheres to muscle, 726

Microvascular spasm
Coronary microvascular spasm causes myocardial ischemia in patients with vasospastic angina, 847

Mitochondria
Apoptotic pathway activation from mitochondria and death receptors without caspase-3 cleavage in failing human myocardium, 481

Mitral annular dilation
Isolated annular dilation does not usually cause important functional mitral regurgitation, 1651

Mitral regurgitation
Abstracts, 416A
Angiotensin II receptor blockade does not improve left ventricular function and remodeling in subacute mitral regurgitation in the dog, 1374
Inhibition of the renin-angiotensin system and the left ventricular adaptation to mitral regurgitation (editorial), 1380
Isolated annular dilation does not usually cause important functional mitral regurgitation, 1651

Mitral valve
Abstracts, 416A
Lesional tachycardias related to mitral valve surgery, 1973
Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure, 1787

Monocytes
Increased transforming growth factor-beta$_1$ circulating levels and production in human monocytes after 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase inhibition with pravastatin, 1752

Monocytosis
Monocytosis and adverse left ventricular remodeling after reperfused myocardial infarction (editorial), 247
Prognostic significance of peripheral monocytosis after reperfused acute myocardial infarction: a possible role for left ventricular remodeling, 241

Monophasic shock
Biphasic vs monophasic shock waveform for conversion of atrial fibrillation: the results of an international randomized, double-blind multicenter trial, 1956

Mortality
Anemia is associated with worse symptoms, greater impairment in functional capacity and a significant increase in mortality in patients with advanced heart failure, 1780
Development of a risk adjustment mortality model using the American College of Cardiology–National Cardiovascular Data Registry (ACC–NCDR) Experience: 1998–2000, 1104
Impact of renal insufficiency on clinical outcomes in patients undergoing percutaneous coronary interventions, 1113
Patients with CHF and depression have greater risk of mortality and morbidity than patients without depression (letter), 919
Plasma oxidized low-density lipoprotein as a prognostic predictor in patients with chronic congestive heart failure, 957
Prognostic value of mechanical efficiency in ambulatory patients with idiopathic dilated cardiomyopathy in sinus rhythm, 1264
Relationships of left ventricular ejection fraction, end-systolic volume index and infarct size to six-month mortality after hospital discharge following myocardial infarction treated by thrombolysis, 30
Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction, 1450

Multivessel disease
Coronary flow studies for risk stratification in multivessel disease (editorial), 859
Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease, 852

Muscle
Deconditioning fails to explain peripheral skeletal muscle alterations in men with chronic heart failure, 1170
Influence of injection site, microvascular pressure and ultrasound variables on microbubble-mediated delivery of microspheres to muscle, 726
Reduction of insulin-like growth factor-1 expression in the skeletal muscle of noncachectic patients with chronic heart failure, 1175

Myocardial blood flow
Absolute blood flow and oxygen consumption in stunned myocardium in patients with coronary artery disease, 420
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546

Myocardial disease
Immunohistologic evidence of myocardial disease in apparently healthy relatives of patients with dilated cardiomyopathy, 455

Myocardial infarction
Abstracts, 278A
Angiographic plaque complexity: the tip of the unstable plaque iceberg (editorial), 1464
Antecedent hypertension and heart failure after myocardial infarction, 1182
Biology of bias: practice patterns and long-term outcomes for men and women with acute myocardial infarction, 1909
Clinical value of 12-lead electrocardiography to predict the long-term prognosis of GISSI-1 patients, 1594
Comparison of the effects of an angiotensin-converting enzyme inhibitor and a vasopeptidase inhibitor after myocardial infarction in the rat, 1692
Electrophysiologically guided amiodarone therapy versus the implantable cardioverter-defibrillator for sustained ventricular tachyarrhythmias after myocardial infarction, 1813
Eptifibatide and low-dose tissue plasminogen activator in acute myocardial infarction, 377
Expanding the reach of primary percutaneous coronary intervention for the treatment of acute myocardial infarction (editorial), 1720
Imaging of myocardial infarction: comparison of magnevist and gadophrin-3 in rabbits, 1392
Impact of normalized myocardial perfusion after successful angioplasty in acute myocardial infarction, 591
Improved post-myocardial infarction survival with probucol in rats: effects on left ventricular function, morphology, cardiac oxidative stress and cytokine expression, 148
Increased plasma levels of the soluble form of Fas ligand in patients with acute myocardial infarction and unstable angina pectoris, 585
Influence of prehospital administration of aspirin and heparin on initial patency of the infarct-related artery in patients with acute ST elevation myocardial infarction, 1733
Initial experience with hyperoxemic reperfusion after primary angioplasty for acute myocardial infarction, 387
Monocytosis and adverse left ventricular remodeling after reperfused myocardial infarction (editorial), 247
Nitric oxide production by neutrophils obtained from patients during acute coronary syndromes: expression of the nitric oxide synthase isoforms, 818
Perpetuation of the myth of the Q-wave versus the non–Q-wave myocardial infarction (letter), 556
Primary angioplasty and selection bias in patients presenting late (<12 h) after onset of chest pain and ST elevation myocardial infarction, 826
Primary angioplasty for elderly patients with myocardial infarction (editorial), 1729
Primary angioplasty reduces the risk of left ventricular free wall rupture compared with thrombolysis in patients with acute myocardial infarction, 598
Prognostic significance of peripheral monocytosis after reperfused acute myocardial infarction: a possible role for left ventricular remodeling, 241
Prospective study of dietary fiber intake and risk of cardiovascular disease among women, 49
Randomized comparison of direct stenting with conventional stent implantation in selected patients with acute myocardial infarction, 15
Randomized trial of transfer for primary angioplasty versus on-site thrombolysis in patients with high-risk myocardial infarction, 1713
Relationships of left ventricular ejection fraction, end-systolic volume index and infarct size to six-month mortality after hospital discharge following myocardial infarction treated by thrombolysis, 30
Repeated assessment of coronary flow velocity pattern in patients with first acute myocardial infarction, 1283
Reperfusion therapy in elderly patients with acute myocardial infarction, 1723
Revisiting the culprit lesion in non–Q-wave myocardial infarction: results from the VANQWISH Trial Angiographic Core Laboratory, 1456
Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction, 1450
Short-term endothelin receptor blockade with tezosentan has both immediate and long-term beneficial effects in rats with myocardial infarction, 142
Vascular remodeling during healing after myocardial infarction in the dog model, 1538

Myocardial ischemia
Abstracts, 278A
Biphasic waveform external defibrillation thresholds for spontaneous ventricular fibrillation secondary to acute ischemia, 359
Cardiac sympathetic denervation modulates the

sympathoexcitatory response to acute myocardial ischemia, 436
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220
Coronary microvascular spasm causes myocardial ischemia in patients with vasospastic angina, 847
Effect of supplemental L-arginine on tolerance development during continuous transdermal nitroglycerin therapy, 1199
Effects of acute hormone therapy on recurrent ischemia in postmenopausal women with unstable angina, 231
High levels of fatty acids delay the recovery of intracellular pH and cardiac efficiency in post-ischemic hearts by inhibiting glucose oxidation, 718
Improved myocardial ischemia/reperfusion injury in mice lacking tumor necrosis factor-α, 1229
Increased plasma brain natriuretic peptide level as a guide for silent myocardial ischemia in patients with non-obstructive hypertrophic cardiomyopathy, 1657
Ischemic cardiomyopathy: a historical note (letter), 1564
Myocardial ischemia-fibrotic injury after human heart transplantation is associated with increased progression of vasculopathy, decreased cellular rejection and poor long-term outcome, 970
Myocardial viability and prognosis in patients with ischemic left ventricle dysfunction (editorial), 1159
Oral L-arginine (and other active ingredients) for ischemic heart disease? (editorial), 46
Origin of ischemia-induced phase 1b ventricular arrhythmias in pig hearts, 166
Percutaneous coronary intervention versus coronary bypass graft surgery for patients with medically refractory myocardial ischemia and risk factors for adverse outcomes with bypass, 266
Percutaneous revascularization versus beating heart CAGB or CABG with cardiopulmonary bypass in patients with refractory myocardial ischemia (letter), 555
Physical activity attenuates the effect of increased left ventricular mass on the risk of ischemic stroke, 1482
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625
Standardized definition of ischemic cardiomyopathy for use in clinical research, 210
Transient ischemia as a possible etiology for ventricular dysfunction (letter), 181
Vasodilator signals from the ischemic myocardium are transduced to the coronary vascular wall by pertussis toxin-sensitive G proteins, 1859

Myocardial necrosis
Systemic inflammation in unstable angina is the result of myocardial necrosis, 1917

Myocardial perfusion
Impact of normalized myocardial perfusion after successful angioplasty in acute myocardial infarction, 591
Magnetic resonance imaging demonstrates improved regional systolic wall motion and thickening and myocardial perfusion of myocardial territories treated by laser myocardial revascularization, 1
Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease, 852

Myocardial stunning
Paradigm shift in myocardial stunning (letter), 1710
Reversible regional wall motion abnormalities on exercise technetium-99m–gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses, 991
Transient left ventricular apical ballooning without coronary artery stenosis: a form of stunning-like phenomenon? (letter), 741

Myocardial viability
Detection of coronary stenosis and myocardial viability using a single intravenous bolus injection of BR14, 523
Myocardial and microcirculatory kinetics of BR14, a novel third-generation intravenous ultrasound contrast agent, 530
Myocardial viability and prognosis in patients with ischemic left ventricle dysfunction (editorial), 1159
Myocardial viability testing and impact of revascularization on prognosis in patients with coronary artery disease and left ventricular dysfunction: a meta-analysis, 1151
Revascularizing chronic total occlusions: what about the coronary collaterals and myocardial viability story? (letter), 1702
Strain rate measurement by Doppler echocardiography allows improved assessment of myocardial viability in patients with depressed left ventricular function, 443

Myocarditis
Role of Fas/FasL pathway in the activation of infiltrating cells in murine acute myocarditis caused by coxsackievirus B3, 1399

Myocardium
Absolute blood flow and oxygen consumption in stunned myocardium in patients with coronary artery disease, 420
Apoptotic pathway activation from mitochondria and death receptors without caspase-3 cleavage in failing human myocardium, 481
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892
Doppler myocardial imaging to evaluate the effectiveness of pacing sites in patients receiving biventricular pacing, 489
Histology of viable and hibernating myocardium in relation to imaging characteristics, 428
Lack of effect of glycoprotein IIb/IIIa blockade on myocardial platelet or polymorphonuclear leukocyte accumulation and on infarct size after transient coronary occlusion in pigs, 157
Severe energy deprivation of human hibernating myocardium as possible common, pathomechanism of contractile dysfunction, structural degeneration and cell death, 1189
Time to onset of regional relaxation: feasibility, variability and utility of a novel index of regional myocardial function by strain rate imaging, 1531

Myosin-binding protein C
Late-onset primary LVH: HCM versus cardiac Fabry variant (letter), 1405

N-acetylcysteine
N-acetylcysteine in acute cardiology: 10 years later, 1422

Na^+/H^+ exchange
Na^+/H^+ exchange inhibitors for cardioprotective therapy: progress, problems and prospects, 747

Natriuretic peptides
Increased plasma brain natriuretic peptide level as a guide for silent myocardial ischemia in patients with non-obstructive hypertrophic cardiomyopathy, 1657
Utility of a rapid B-natriuretic peptide assay in differentiating congestive heart failure from lung disease in patients presenting with dyspnea, 202

Near-infrared spectroscopy
Near-infrared spectroscopic characterization of human advanced atherosclerotic plaques, 1305

Neointima
Decoy oligodeoxynucleotide against activator protein-1 reduces neointimal proliferation after coronary angioplasty in hypercholesterolemic minipigs, 732
Dose heterogeneity may not affect the neointimal proliferation after gamma radiation for in-stent restenosis, 1937

Neovascularization
Chronic endothelin receptor antagonism prevents coronary vasa vasorum neovascularization in experimental hypercholesterolemia, 1555

Nesiritide
Effect of nesiritide versus dobutamine on short-term outcomes in the treatment of patients with acutely decompensated heart failure, 798

Neurohormal responses
Vasopeptidase inhibition with omapatrilat in chronic heart failure: acute and long-term hemodynamic and neurohormonal effects, 2034

Neurohormonal responses
Antecedent hypertension and heart failure after myocardial infarction, 1182
Neurohormonal activation rapidly decreases after intravenous therapy with diuretics and vasodilators for class IV heart failure, 1623
Neurohormonal and clinical responses to high- versus low-dose enalapril therapy in chronic heart failure, 70
Neurohormonal blockade in chronic heart failure (editorial), 79

Neutrophils
Nitric oxide production by neutrophils obtained from patients during acute coronary syndromes: expression of the nitric oxide synthase isoforms, 818

Nicotine
Contribution of nicotine to acute endothelial dysfunction in long-term smokers, 251

Nitric oxide
Heavy and light cigarette smokers have similar dysfunction of endothelial vasoregulatory activity, 1758
Nitric oxide production by neutrophils obtained from patients during acute coronary syndromes: expression of the nitric oxide synthase isoforms, 818
Randomized trial of a medical food for the dietary management of chronic, stable angina, 37

Nitroglycerin
Effect of supplemental L-arginine on tolerance development during continuous transdermal nitroglycerin therapy, 1199
Nitroglycerin upregulates matrix metalloproteinase expression by human macrophages, 1943

Noncardiac surgery
ACC/AHA guideline update for perioperative

cardiovascular evaluation for noncardiac surgery—executive summary, 542
Noninvasive imaging
Abstracts, 340A
Non–Q-wave myocardial infarction
See also Myocardial infarction
Perpetuation of the myth of the Q-wave versus the non–Q-wave myocardial infarction (letter), 556
Revisiting the culprit lesion in non–Q-wave myocardial infarction: results from the VANQWISH Trial Angiographic Core Laboratory, 1456
Stress test criteria used in the conservative arm of the FRISC-II trial underdetects surgical coronary artery disease when applied to patients in the VANQWISH trial, 1601
Obesity
Impact of obesity on the short-term and long-term outcomes after percutaneous coronary intervention: the obesity paradox?, 578
Obesity, weight reduction and survival in heart failure (letter), 1563
Occlusion
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546
Early and late complications associated with transcatheter occlusion of secundum atrial septal defect, 1061
Prospective, multicenter, randomized trial of percutaneous transmyocardial laser revascularization in patients with nonrecanalizable chronic total occlusions, 1581
Occlusions
Revascularizing chronic total occlusions: what about the coronary collaterals and myocardial viability story? (letter), 1702
Oligodeoxynucleotides
Decoy oligodeoxynucleotide against activator protein-1 reduces neointimal proliferation after coronary angioplasty in hypercholesterolemic minipigs, 732
Intramural coronary delivery of advanced antisense oligonucleotides reduces neointimal formation in the porcine stent restenosis model, 1686
Local intracoronary administration of antisense oligonucleotide against c-myc for the prevention of in-stent restenosis, 281
Omapatrilat
Comparison of the effects of an angiotensin-converting enzyme inhibitor and a vasopeptidase inhibitor after myocardial infarction in the rat, 1692
Vasopeptidase inhibition with omapatrilat in chronic heart failure: acute and long-term hemodynamic and neurohormonal effects, 2034
Open-heart surgery
Left atrial versus bi-atrial maze operation using intraoperatively cooled-tip radiofrequency ablation in patients undergoing open-heart surgery, 1644
Optical coherence tomography
Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: comparison with intravascular ultrasound, 604
Orthostatic vasovagal presyncope
Cerebral blood flow velocity declines before arterial pressure in patients with orthostatic vasovagal presyncope, 1039
Outcomes
Early angioplasty in acute coronary syndromes without persistent ST-elevation improves outcome, but increases need for 6 month repeat revascularization. An analysis of the PURSUIT-trial, 1924
Echocardiographic predictors of adverse outcomes in primary pulmonary hypertension, 1214
Effect of nesiritide versus dobutamine on short-term outcomes in the treatment of patients with acutely decompensated heart failure, 798
Impact of body mass index on short- and long-term outcomes in patients undergoing coronary revascularization, 834
Impact of obesity on the short-term and long-term outcomes after percutaneous coronary intervention: the obesity paradox?, 578
Impact of renal insufficiency on clinical outcomes in patients undergoing percutaneous coronary interventions, 1113
Influence of patient factors and ablative technologies on outcomes of radiofrequency ablation of intra-atrial re-entrant tachycardia in patients with congenital heart disease, 1827
Long-term outcome in patients with apical hypertrophic cardiomyopathy, 638
Long-term outcome of patients with ventricular septal defect considered not to require surgical closure during childhood, 1066
Myocardial ischemia-fibrotic injury after human heart transplantation is associated with increased progression of vasculopathy, decreased cellular rejection and poor long-term outcome, 970
Outcome after abnormal exercise echocardiography for patients with good exercise capacity, 1345
Oxidatively modified low-density lipoprotein
Identification, regulation and function of a novel lectin-like oxidized low-density lipoprotein receptor, 1429
Oxidative stress
Improved post-myocardial infarction survival with probucol in rats: effects on left ventricular function, morphology, cardiac oxidative stress and cytokine expression, 148
N-acetylcysteine in acute cardiology: 10 years later, 1422
Plasma oxidized low-density lipoprotein as a prognostic predictor in patients with chronic congestive heart failure, 957
Oxygen consumption
Absolute blood flow and oxygen consumption in stunned myocardium in patients with coronary artery disease, 420
Pacing
Cardiac resynchronization in patients with congestive heart failure and chronic atrial fibrillation, 1258
Doppler myocardial imaging to evaluate the effectiveness of pacing sites in patients receiving biventricular pacing, 489
Initial experience with an implantable cardioverter-defibrillator incorporating cardiac resynchronization therapy, 790
Quantitation of basal dyssynchrony and acute resynchronization from left or biventricular pacing by novel echo-contrast variability imaging, 2052
Patent foramen ovale
Transcatheter closure of patent foramen ovale in patients with cerebral ischemia, 2019
Patient education
Randomized trial of an education and support intervention to prevent readmission of patients with heart failure, 83
Pediatric cardiology
See also Congenital heart disease
Abstracts, 398A
Comparison between transcatheter and surgical closure of secundum atrial septal defect in children and adults, 1836
Flecainide and sotalol: a new combination therapy for refractory supraventricular tachycardia in children <1 year of age, 517
Incidence of congenital heart disease, 1890
Isolated neonatal ductus arteriosus aneurysm, 342
Long-term outcome of patients with ventricular septal defect considered not to require surgical closure during childhood, 1066
Outcome of children with fetal, neonatal, or childhood diagnosis of isolated congenital atrioventricular block, 130
Percutaneous insertion of the pulmonary valve, 1664
Pulmonary atresia with intact ventricular septum, 1670
Transcatheter closure of patent foramen ovale in patients with cerebral ischemia, 2019
Percutaneous coronary interventions
Contemporary overview of percutaneous coronary interventions, 1098
Development of a risk adjustment mortality model using the American College of Cardiology–National Cardiovascular Data Registry (ACC–NCDR) Experience: 1998–2000, 1104
Effect of intracoronary radiation for the treatment of recurrent in-stent restenosis in patients with diabetes mellitus, 1930
Efficacy and safety of percutaneous treatment of iatrogenic femoral artery pseudoaneurysm by biodegradable collagen injection, 1297
Expanding the reach of primary percutaneous coronary intervention for the treatment of acute myocardial infarction (editorial), 1720
Impact of obesity on the short-term and long-term outcomes after percutaneous coronary intervention: the obesity paradox?, 578
Impact of renal insufficiency on clinical outcomes in patients undergoing percutaneous coronary interventions, 1113
Improved outcomes for women undergoing contemporary percutaneous coronary intervention, 1608
Limited role of coronary angioplasty and stenting in coronary spastic angina with organic stenosis, 1120
Percutaneous coronary intervention versus coronary bypass graft surgery for patients with medically refractory myocardial ischemia and risk factors for adverse outcomes with bypass, 266
Percutaneous revascularization versus beating heart CAGB or CABG with cardiopulmonary bypass in patients with refractory myocardial ischemia (letter), 555
Prognostic significance of elevated troponin I after percutaneous coronary intervention, 1738
Prospective, multicenter, randomized trial of percutaneous transmyocardial laser revascularization in patients with nonrecanalizable chronic total occlusions, 1581
Rationale for on-site cardiac surgery for primary angioplasty: a time for reappraisal, 1881
Percutaneous mitral commissurotomy
Serial echocardiographic evaluation of restenosis after successful percutaneous mitral commissurotomy, 328

Percutaneous transluminal coronary angioplasty
Decoy oligodeoxynucleotide against activator protein-1 reduces neointimal proliferation after coronary angioplasty in hypercholesterolemic minipigs, 732
Early angioplasty in acute coronary syndromes without persistent ST-elevation improves outcome, but increases need for 6 month repeat revascularization. An analysis of the PURSUIT-trial, 1924
Impact of body mass index on short- and long-term outcomes in patients undergoing coronary revascularization, 834
Impact of normalized myocardial perfusion after successful angioplasty in acute myocardial infarction, 591
Initial experience with hyperoxemic reperfusion after primary angioplasty for acute myocardial infarction, 387
Limited role of coronary angioplasty and stenting in coronary spastic angina with organic stenosis, 1120
Primary angioplasty and selection bias in patients presenting late (<12 h) after onset of chest pain and ST elevation myocardial infarction, 826
Primary angioplasty for elderly patients with myocardial infarction (editorial), 1729
Randomized trial of transfer for primary angioplasty versus on-site thrombolysis in patients with high-risk myocardial infarction, 1713
Repeated assessment of coronary flow velocity pattern in patients with first acute myocardial infarction, 1283
Reperfusion therapy in elderly patients with acute myocardial infarction, 1723
Time courses of apoptosis and cell proliferation and their relationship to arterial remodeling and restenosis after angioplasty in an atherosclerotic rabbit model, 1680
Percutaneous transmyocardial laser revascularization
Prospective, multicenter, randomized trial of percutaneous transmyocardial laser revascularization in patients with nonrecanalizable chronic total occlusions, 1581
Percutaneous transvenous mitral commissurotomy
Prognostic model for predicting the disappearance of left atrial thrombi among candidates for percutaneous transvenous mitral commissurotomy, 886
Perfusion
See Myocardial perfusion
Pericardial effusion
Clinical correlates of PR segment depression in asymptomatic patients with pericardial effusion, 2000
Peripheral monocytosis
Prognostic significance of peripheral monocytosis after reperfused acute myocardial infarction: a possible role for left ventricular remodeling, 241
Pertussis toxin-sensitive G proteins
Vasodilator signals from the ischemic myocardium are transduced to the coronary vascular wall by pertussis toxin-sensitive G proteins, 1859
Phased-array imaging
Intracardiac phased-array imaging: methods and initial clinical experience with high resolution, under blood visualization, 509
Physical activity
Physical activity attenuates the effect of increased left ventricular mass on the risk of ischemic stroke, 1482
Physical training modulates proinflammatory cytokines and the soluble Fas/soluble Fas ligand system in patients with chronic heart failure, 653
Physicians
President's page: fighting terrorism: our role as physicians, 739
Plaque, coronary
Angiographic plaque complexity: the tip of the unstable plaque iceberg (editorial), 1464
Near-infrared spectroscopic characterization of human advanced atherosclerotic plaques, 1305
Particulate air pollution induces progression of atherosclerosis, 935
Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: comparison with intravascular ultrasound, 604
Plasma
Regulation and measurement of plasma volume in heart failure, 1901
Platelet(s)
Lack of effect of glycoprotein IIb/IIIa blockade on myocardial platelet or polymorphonuclear leukocyte accumulation and on infarct size after transient coronary occlusion in pigs, 157
Overproduction of platelet microparticles in cyanotic congenital heart disease with polycythemia, 1072
Platelet-derived growth factor
Crosstalk of endothelin-1 and platelet-derived growth factor in cardiac allograft arteriosclerosis, 710
Polycythemia
Overproduction of platelet microparticles in cyanotic congenital heart disease with polycythemia, 1072
Polymorphonuclear leukocytes
Lack of effect of glycoprotein IIb/IIIa blockade on myocardial platelet or polymorphonuclear leukocyte accumulation and on infarct size after transient coronary occlusion in pigs, 157
Positron emission tomography
Assessment of coronary flow reserve: comparison between contrast-enhanced magnetic resonance imaging and positron emission tomography, 864
Postmenopausal women
See also Women
Effects of acute hormone therapy on recurrent ischemia in postmenopausal women with unstable angina, 231
Potassium channels
Pharmacologic preconditioning of estrogen by activation of the myocardial adenosine triphosphate-sensitive potassium channel in patients undergoing coronary angioplasty, 871
Pravastatin
Effects of probucol and pravastatin on common carotid atherosclerosis in patients with asymptomatic hypercholesterolemia, 610
Increased transforming growth factor-beta$_1$ circulating levels and production in human monocytes after 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase inhibition with pravastatin, 1752
Preconditioning
Four-year-old rabbit cannot be considered the right model for investigating cardiac senescence (letter), 1701
Pharmacologic preconditioning of estrogen by activation of the myocardial adenosine triphosphate-sensitive potassium channel in patients undergoing coronary angioplasty, 871
Pressure overload hypertrophy
Heart failure in pressure overload hypertrophy, 664
Pressure overload hypertrophy and congestive heart failure (editorial), 672
Primary angioplasty
Primary angioplasty and selection bias in patients presenting late (<12 h) after onset of chest pain and ST elevation myocardial infarction, 826
Primary angioplasty reduces the risk of left ventricular free wall rupture compared with thrombolysis in patients with acute myocardial infarction, 598
Randomized trial of transfer for primary angioplasty versus on-site thrombolysis in patients with high-risk myocardial infarction, 1713
Rationale for on-site cardiac surgery for primary angioplasty: a time for reappraisal, 1881
Primary pulmonary hypertension
See Pulmonary hypertension
Probucol
Effects of probucol and pravastatin on common carotid atherosclerosis in patients with asymptomatic hypercholesterolemia, 610
Improved post-myocardial infarction survival with probucol in rats: effects on left ventricular function, morphology, cardiac oxidative stress and cytokine expression, 148
Prosthesis-patient mismatch
Usefulness of the Cryolife O'Brien stentless suprannular aortic valve to prevent prosthesis-patient mismatch in the small aortic root, 1845
PR segment
Clinical correlates of PR segment depression in asymptomatic patients with pericardial effusion, 2000
Pulmonary artery systolic pressure
Usefulness of a 10% air-10% blood-80% saline mixture for contrast echocardiography: Doppler measurement of pulmonary artery systolic pressure, 124
Pulmonary atresia
Pulmonary atresia with intact ventricular septum, 1670
Pulmonary embolism
Utility of a BNP as a marker for RV dysfunction in acute pulmonary embolism (letter), 2080
Pulmonary hypertension
Echocardiographic predictors of adverse outcomes in primary pulmonary hypertension, 1214
Effects of beraprost sodium, an oral prostacyclin analogue, in patients with pulmonary arterial hypertension: a randomized, double-blind, placebo-controlled trial, 1496
Pulse wave reflection in pulmonary hypertension (letter), 743
Pulmonary valve
Percutaneous insertion of the pulmonary valve, 1664
Pulmonary veins
Effects of thyroid hormone on the arrhythmogenic activity of pulmonary vein cardiomyocytes, 366
Electrogram polarity reversal as an additional indicator of breakthroughs from the left atrium to the pulmonary veins, 1337
Intracardiac echocardiography-guided, anatomically-based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins, 1964
Pulse pressure
Increased central pulse pressure and augmentation

JACC Vol. 39, No. 12, 2002
June 19, 2002:2088–108

index in subjects with hypercholesterolemia, 1003

Pulse transmission coefficient
Pulse transmission coefficient: a novel nonhyperemic parameter for assessing the physiological significance of coronary artery stenoses, 1012

QT interval
Autonomic nervous system influences on QT interval in normal subjects, 1820
Differential effects of beta-blockade on dispersion of repolarization in absence and presence of sympathetic stimulation between LQT1 and LQT2 forms of congenital long QT syndrome, 1984

Race
Ethnic differences in coronary atherosclerosis, 408
Presence of African American race predicts improvement in coronary endothelial function after supplementary L-arginine, 1314

Radial artery
In vivo early and mid-term flow-mediated endothelial function of the radial artery used as a coronary bypass graft, 573
Radial, carotid and aortic distensibility in congestive heart failure: effects of high-dose angiotensin-converting enzyme inhibitor or low-dose association with angiotensin type 1 receptor blockade, 1275

Radiation therapy
Dose heterogeneity may not affect the neointimal proliferation after gamma radiation for in-stent restenosis, 1937
Effect of intracoronary radiation for the treatment of recurrent in-stent restenosis in patients with diabetes mellitus, 1930
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290
Quantitative angiographic methods for appropriate end-point analysis, edge-effect evaluation, and prediction of recurrent restenosis after coronary brachytherapy with gamma irradiation, 274

Radiofrequency ablation
See also Ablation
Double potentials analysis as a guide to radiofrequency ablation of atrial flutter (letter), 916
Influence of patient factors and ablative technologies on outcomes of radiofrequency ablation of intra-atrial re-entrant tachycardia in patients with congenital heart disease, 1827
Intracardiac echocardiography-guided, anatomically-based radiofrequency ablation of focal atrial fibrillation originating from pulmonary veins, 1964
Is electrical stimulation during administration of catecholamines required for the evaluation of success after ablation of atrioventricular node re-entrant tachycardias?, 689
Left atrial versus bi-atrial maze operation using intraoperatively cooled-tip radiofrequency ablation in patients undergoing open-heart surgery, 1644
Lesional tachycardias related to mitral valve surgery, 1973
Noncontact mapping to guide ablation of right ventricular outflow tract tachycardia, 1808

Reactive oxygen species
Antioxidant N-2-mercaptopropionyl glycine attenuates left ventricular hypertrophy in in vivo murine pressure-overload model, 907

Rebound coagulation
Rebound thrombin generation after heparin therapy in unstable angina, 811

Reference vessel diameter
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290

Regional wall motion abnormalities
Reversible regional wall motion abnormalities on exercise technetium-99m–gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses, 991

Remodeling
Active interstitial remodeling: an important process in the hibernating human myocardium, 1468
Angiotensin II receptor blockade does not improve left ventricular function and remodeling in subacute mitral regurgitation in the dog, 1374
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Heart failure in pressure overload hypertrophy, 664
Monocytosis and adverse left ventricular remodeling after reperfused myocardial infarction (editorial), 247
Pressure overload hypertrophy and congestive heart failure (editorial), 672
Prognostic significance of peripheral monocytosis after reperfused acute myocardial infarction: a possible role for left ventricular remodeling, 241
Relationship of myocardial remodeling to the genesis of serum autoantibodies to cardiac $beta_1$-adrenoceptors and muscarinic type 2 acetylcholine receptors in rats, 1866
Reverse remodeling and enhanced adrenergic reserve from passive external support in experimental dilated heart failure, 2069
Time courses of apoptosis and cell proliferation and their relationship to arterial remodeling and restenosis after angioplasty in an atherosclerotic rabbit model, 1680
Vascular remodeling during healing after myocardial infarction in the dog model, 1538

Renal insufficiency
Impact of renal insufficiency on clinical outcomes in patients undergoing percutaneous coronary interventions, 1113

Renin-angiotensin system
Inhibition of the renin-angiotensin system and the left ventricular adaptation to mitral regurgitation (editorial), 1380

Reperfusion
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546
High levels of fatty acids delay the recovery of intracellular pH and cardiac efficiency in post-ischemic hearts by inhibiting glucose oxidation, 718
Improved myocardial ischemia/reperfusion injury in mice lacking tumor necrosis factor- , 1229
Repeated assessment of coronary flow velocity pattern in patients with first acute myocardial infarction, 1283
Reperfusion therapy in elderly patients with acute myocardial infarction, 1723
Vascular remodeling during healing after myocardial infarction in the dog model, 1538

Repetitive monomorphic ventricular tachycardia
Repetitive monomorphic ventricular tachycardia originating from the aortic sinus cusp, 500

Repolarization
Differential effects of beta-blockade on dispersion of repolarization in absence and presence of sympathetic stimulation between LQT1 and LQT2 forms of congenital long QT syndrome, 1984

Research
Standardized definition of ischemic cardiomyopathy for use in clinical research, 210

Respiratory sinus arrhythmia
Inter-relations among declines in arterial distensibility, baroreflex function and respiratory sinus arrhythmia, 1524

Restenosis
See also Stenosis
Coronary in-stent restenosis: current status and future strategies, 183
Dose heterogeneity may not affect the neointimal proliferation after gamma radiation for in-stent restenosis, 1937
Effect of intracoronary radiation for the treatment of recurrent in-stent restenosis in patients with diabetes mellitus, 1930
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290
Intramural coronary delivery of advanced antisense oligonucleotides reduces neointimal formation in the porcine stent restenosis model, 1686
Local intracoronary administration of antisense oligonucleotide against c-myc for the prevention of in-stent restenosis, 281
Quantitative angiographic methods for appropriate end-point analysis, edge-effect evaluation, and prediction of recurrent restenosis after coronary brachytherapy with gamma irradiation, 274
Serial echocardiographic evaluation of restenosis after successful percutaneous mitral commissurotomy, 328
Time courses of apoptosis and cell proliferation and their relationship to arterial remodeling and restenosis after angioplasty in an atherosclerotic rabbit model, 1680

Resynchronization therapy
Cardiac resynchronization in patients with congestive heart failure and chronic atrial fibrillation, 1258
Cardiac resynchronization therapy restores optimal atrioventricular mechanical timing in heart failure patients with ventricular conduction delay, 1163
Chronic effect of hemodynamically optimized surface resynchronization therapy on patients with heart failure and ventricular conduction delay, 2026
Initial experience with an implantable cardioverter-defibrillator incorporating cardiac resynchronization therapy, 790
Quantitation of basal dyssynchrony and acute resynchronization from left or biventricular pacing by novel echo-contrast variability imaging, 2052
Retiming the failing heart: principles and current clinical status of cardiac resynchronization, 194

Revascularization
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220
Early angioplasty in acute coronary syndromes without persistent ST-elevation improves

outcome, but increases need for 6 month repeat revascularization. An analysis of the PURSUIT-trial, 1924
Effect of completeness of revascularization on event-free survival at one year in the ARTS trial, 559
Impact of body mass index on short- and long-term outcomes in patients undergoing coronary revascularization, 834
Impact of lesion length and reference vessel diameter on angiographic restenosis and target vessel revascularization in treating in-stent restenosis with radiation, 1290
Magnetic resonance imaging demonstrates improved regional systolic wall motion and thickening and myocardial perfusion of myocardial territories treated by laser myocardial revascularization, 1
Myocardial viability testing and impact of revascularization on prognosis in patients with coronary artery disease and left ventricular dysfunction: a meta-analysis, 1151
Percutaneous revascularization versus beating heart CAGB or CABG with cardiopulmonary bypass in patients with refractory myocardial ischemia (letter), 555
Prospective, multicenter, randomized trial of percutaneous transmyocardial laser revascularization in patients with nonrecanalizable chronic total occlusions, 1581
Revascularizing chronic total occlusions: what about the coronary collaterals and myocardial viability story? (letter), 1702
What constitutes optimal surgical revascularization?, 565

Right ventricle
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892
Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction, 1450
Utility of a BNP as a marker for RV dysfunction in acute pulmonary embolism (letter), 2080

Right ventricular outflow tract
Epicardial electrogram at the right ventricular outflow tract in patients with Brugada syndrome: using the epicardial lead, 1992
Noncontact mapping to guide ablation of right ventricular outflow tract tachycardia, 1808

Risk assessment and stratification
Anemia is associated with worse symptoms, greater impairment in functional capacity and a significant increase in mortality in patients with advanced heart failure, 1780
Bedside quantification of atherosclerosis severity for cardiovascular risk stratification: a prospective cohort study, 702
Clinical value of 12-lead electrocardiography to predict the long-term prognosis of GISSI-1 patients, 1594
Contrast echocardiography can assess risk area and infarct size during coronary occlusion and reperfusion: experimental validation, 1546
Coronary flow studies for risk stratification in multivessel disease (editorial), 859
C-reactive protein and angiographic coronary artery disease: independent and additive predictors of risk in subjects with angina, 632
Development of a risk adjustment mortality model using the American College of Cardiology–National Cardiovascular Data Registry (ACC–NCDR) Experience: 1998–2000, 1104
"Exercise" part of exercise echocardiography (editorial), 1353
High coronary artery calcium scores pose an extremely elevated risk for hard events, 225
Impact of beta-blocker treatment on the prognostic value of currently used risk indicators in congestive heart failure, 1615
Impact of normalized myocardial perfusion after successful angioplasty in acute myocardial infarction, 591
Outcome after abnormal exercise echocardiography for patients with good exercise capacity, 1345
Physical activity attenuates the effect of increased left ventricular mass on the risk of ischemic stroke, 1482
Prognostic significance of immune activation after acute coronary syndromes (letter), 1878
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625
Randomized trial of the efficacy of multidisciplinary care in heart failure outpatients at high risk of hospital readmission, 471
Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction, 1450
Risk of cardiovascular disease in relation to achieved office and ambulatory blood pressure control in treated hypertensive subjects, 878
Role of genotyping in risk factor assessment for sudden death in hypertrophic cardiomyopathy (editorial), 2049
Soluble intercellular adhesion molecule-1 and long-term risk of acute coronary events in patients with chronic coronary heart disease, 1133

Risk factors
Percutaneous coronary intervention versus coronary bypass graft surgery for patients with medically refractory myocardial ischemia and risk factors for adverse outcomes with bypass, 266
Prospective study of dietary fiber intake and risk of cardiovascular disease among women, 49

Scopolamine
Scopolamine? (letter), 744

Secundum atrial septal defect
Comparison between transcatheter and surgical closure of secundum atrial septal defect in children and adults, 1836
Early and late complications associated with transcatheter occlusion of secundum atrial septal defect, 1061

Shock
Biphasic vs monophasic shock waveform for conversion of atrial fibrillation: the results of an international randomized, double-blind multicenter trial, 1956

Silent ischemia
Increased plasma brain natriuretic peptide level as a guide for silent myocardial ischemia in patients with non-obstructive hypertrophic cardiomyopathy, 1657

Single-photon emission computed tomography
Electrocardiogram-gated single-photon emission computed tomography versus cardiac magnetic resonance imaging for the assessment of left ventricular volumes and ejection fraction, 2059
Low event rate for stress-only perfusion imaging in patients evaluated for chest pain, 999
Prognostic value of coronary blood flow velocity and myocardial perfusion in intermediate coronary narrowings and multivessel disease, 852
Reversible regional wall motion abnormalities on exercise technetium-99m–gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses, 991

Sinus node
Intrinsic sinus and atrioventricular node electrophysiologic adaptations in endurance athletes, 1033

Sinus rhythm
Clinical value of left atrial appendage flow for prediction of long-term sinus rhythm maintenance in patients with nonvalvular atrial fibrillation, 1443
Prognostic value of mechanical efficiency in ambulatory patients with idiopathic dilated cardiomyopathy in sinus rhythm, 1264

Sinus tachycardia
Three-dimensional nonfluoroscopic mapping and ablation of inappropriate sinus tachycardia, 1046

Skeletal muscle
Deconditioning fails to explain peripheral skeletal muscle alterations in men with chronic heart failure, 1170
Reduction of insulin-like growth factor-1 expression in the skeletal muscle of noncachectic patients with chronic heart failure, 1175

Smoking
Contribution of nicotine to acute endothelial dysfunction in long-term smokers, 251
Heavy and light cigarette smokers have similar dysfunction of endothelial vasoregulatory activity, 1758

Smooth muscle myosin heavy chain
Active interstitial remodeling: an important process in the hibernating human myocardium, 1468

Sotalol
Flecainide and sotalol: a new combination therapy for refractory supraventricular tachycardia in children <1 year of age, 517

Spectroscopy
Near-infrared spectroscopic characterization of human advanced atherosclerotic plaques, 1305

Spironolactone
Addition of spironolactone to angiotensin-converting enzyme inhibition in heart failure improves endothelial vasomotor dysfunction, 351

Statins
See also specific statin
Atorvastatin decreases vascular endothelial growth factor in patients with coronary artery disease, 1951
Increased transforming growth factor-beta$_1$ circulating levels and production in human monocytes after 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase inhibition with pravastatin, 1752
Statins and chronic heart failure: do we need a large-scale outcome trial?, 1567

ST elevation
Early angioplasty in acute coronary syndromes without persistent ST-elevation improves outcome, but increases need for 6 month repeat revascularization. An analysis of the PURSUIT-trial, 1924
Primary angioplasty and selection bias in patients presenting late (<12 h) after onset of chest pain and ST elevation myocardial infarction, 826

Stenosis
See also Restenosis
Detection of coronary stenosis and myocardial

JACC Vol. 39, No. 12, 2002
June 19, 2002:2088–108

viability using a single intravenous bolus injection of BR14, 523
Diastolic follow-up pressure gradient relation in coronary stenosis in humans, 1630
Limited role of coronary angioplasty and stenting in coronary spastic angina with organic stenosis, 1120
Myocardial and microcirculatory kinetics of BR14, a novel third-generation intravenous ultrasound contrast agent, 530
Progression of human aortic valve stenosis is associated with tenasin-C expression, 96
Pulse transmission coefficient: a novel nonhyperemic parameter for assessing the physiological significance of coronary artery stenoses, 1012
Reversible regional wall motion abnormalities on exercise technetium-99m–gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses, 991
Transient left ventricular apical ballooning without coronary artery stenosis: a form of stunning-like phenomenon? (letter), 741

Stents and stenting
Arterial repair after stenting and the effects of GM6001, a matrix metalloproteinase inhibitor, 1852
Coronary hemodynamics of stent implantation after suboptimal and optimal balloon angioplasty, 1513
Limited role of coronary angioplasty and stenting in coronary spastic angina with organic stenosis, 1120
Meta-analysis of randomized and registry comparisons of ticlopidine with clopidogrel after stenting, 9
Multicenter evaluation of carotid artery stenting with a filter protection system, 841
Randomized comparison of direct stenting with conventional stent implantation in selected patients with acute myocardial infarction, 15
Randomized comparison of the value of additional stenting after optimal balloon angioplasty for long coronary lesions, 393
Stent with extent—fiction or prophecy? (letter), 558
Vascular morphometric changes after radioactive stent implantation: a dose-response analysis, 400

Strain rate imaging
Strain rate measurement by Doppler echocardiography allows improved assessment of myocardial viability in patients with depressed left ventricular function, 443
Time to onset of regional relaxation: feasibility, variability and utility of a novel index of regional myocardial function by strain rate imaging, 1531

Stress testing
See also Exercise testing
Dobutamine stress testing revisited (letter), 1708
"Exercise" part of exercise echocardiography (editorial), 1353
Outcome after abnormal exercise echocardiography for patients with good exercise capacity, 1345
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625
Prognostic value of the Duke treadmill score in the elderly, 1475
Reversible regional wall motion abnormalities on exercise technetium-99m–gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses, 991
Stress test criteria used in the conservative arm of the FRISC-II trial underdetects surgical coronary artery disease when applied to patients in the VANQWISH trial, 1601

Stroke
Clinical profile of stroke in 900 patients with hypertrophic cardiomyopathy, 301
Decreased incidence of postoperative stroke following off-pump coronary artery bypass (letter), 917
Physical activity attenuates the effect of increased left ventricular mass on the risk of ischemic stroke, 1482

Sudden death
Primary prevention of sudden death using ICD therapy: incremental steps (editorial), 788
Role of genotyping in risk factor assessment for sudden death in hypertrophic cardiomyopathy (editorial), 2049
Sudden death in patients with implantable cardioverter defibrillators, 1323

Suprasternal harmonic imaging
Transcutaneous detection of aortic arch atheromas by suprasternal harmonic imaging, 1127

Supraventricular tachycardia
Flecainide and sotalol: a new combination therapy for refractory supraventricular tachycardia in children <1 year of age, 517

Surgery
See also Ablation; Coronary artery bypass graft
ACC/AHA guideline update for perioperative cardiovascular evaluation for noncardiac surgery—executive summary, 542
Comparison between transcatheter and surgical closure of secundum atrial septal defect in children and adults, 1836
Comparison of cardiac troponin T and creatine kinase-MB for patient evaluation after cardiac surgery, 1518
Effects of hypothermia on human left ventricular contractile function during cardiac surgery, 102
Evaluation of carotid artery and aortic intima–media thickness measurements for exclusion of significant coronary atherosclerosis in patients scheduled for heart valve surgery, 1139
Left atrial versus bi-atrial maze operation using intraoperatively cooled-tip radiofrequency ablation in patients undergoing open-heart surgery, 1644
Lesional tachycardias related to mitral valve surgery, 1973
Rationale for on-site cardiac surgery for primary angioplasty: a time for reappraisal, 1881

Sympathetic activity
Effects of dobutamine on cardiac sympathetic activity in patients with congestive heart failure, 1269
Sympathetic activation markedly reduces endothelium-dependent, flow-mediated vasodilation, 683

Sympathoexcitation
Cardiac sympathetic denervation modulates the sympathoexcitatory response to acute myocardial ischemia, 436

Tachycardia
See also Supraventricular tachycardia; Ventricular tachycardia
Influence of patient factors and ablative technologies on outcomes of radiofrequency ablation of intra-atrial re-entrant tachycardia in patients with congenital heart disease, 1827
Is electrical stimulation during administration of catecholamines required for the evaluation of success after ablation of atrioventricular node re-entrant tachycardias?, 689
Lesional tachycardias related to mitral valve surgery, 1973
Noncontact mapping to guide ablation of right ventricular outflow tract tachycardia, 1808
Three-dimensional nonfluoroscopic mapping and ablation of inappropriate sinus tachycardia, 1046

Teaching
President's page: teaching: today's investment in tomorrow, 373

Technetium-99m
Reversible regional wall motion abnormalities on exercise technetium-99m–gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses, 991

Techniques
Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery, 257

Tenascin
Active interstitial remodeling: an important process in the hibernating human myocardium, 1468

Tenasin-C
Progression of human aortic valve stenosis is associated with tenasin-C expression, 96

Tezosentan
Short-term endothelin receptor blockade with tezosentan has both immediate and long-term beneficial effects in rats with myocardial infarction, 142

Thermal therapy
Repeated sauna treatment improves vascular endothelial and cardiac function in patients with chronic heart failure, 754

Three-dimensional nonfluoroscopic mapping
Three-dimensional nonfluoroscopic mapping and ablation of inappropriate sinus tachycardia, 1046

Thrombin
Rebound thrombin generation after heparin therapy in unstable angina, 811

Thromboembolism
Pulse wave reflection in pulmonary hypertension (letter), 743

Thrombolysis
Expanding the reach of primary percutaneous coronary intervention for the treatment of acute myocardial infarction (editorial), 1720
Primary angioplasty reduces the risk of left ventricular free wall rupture compared with thrombolysis in patients with acute myocardial infarction, 598
Randomized trial of transfer for primary angioplasty versus on-site thrombolysis in patients with high-risk myocardial infarction, 1713
Relationships of left ventricular ejection fraction, end-systolic volume index and infarct size to six-month mortality after hospital discharge following myocardial infarction treated by thrombolysis, 30
Reperfusion therapy in elderly patients with acute myocardial infarction, 1723

Thrombus
In vivo noninvasive detection and age definition of arterial thrombus by MRI, 1366

Thyroid hormone
Effects of thyroid hormone on the arrhythmogenic activity of pulmonary vein cardiomyocytes, 366

Ticlopidine
Meta-analysis of randomized and registry

comparisons of ticlopidine with clopidogrel after stenting, 9
Time to onset of regional relaxation
Time to onset of regional relaxation: feasibility, variability and utility of a novel index of regional myocardial function by strain rate imaging, 1531
Tissue factor
Role of vitronectin receptor (vß3) and tissue factor in the pathogenesis of transplant coronary vasculopathy, 804
Tissue inhibitors of matrix metalloproteinases
Excessive activation of matrix metalloproteinases coincides with left ventricular remodeling during transition from hypertrophy to heart failure in hypertensive rats, 1384
Nitroglycerin upregulates matrix metalloproteinase expression by human macrophages, 1943
Tissue plasminogen activator
Eptifibatide and low-dose tissue plasminogen activator in acute myocardial infarction, 377
Tobacco
See Smoking
Tolerance
Effect of supplemental L-arginine on tolerance development during continuous transdermal nitroglycerin therapy, 1199
Tomography
See Electron beam computed tomography; Positron emission tomography; Single-photon emission computed tomography
Training
ACC revised recommendations for training in adult cardiovascular medicine core cardiology training II (COCATS 2) (Revision of the 1995 COCATS Training Statement), 1242
Transcatheter closure
Early and late complications associated with transcatheter occlusion of secundum atrial septal defect, 1061
Management of coronary artery fistulae, 1026
Transesophageal echocardiography
See also Echocardiography
Clinical value of left atrial appendage flow for prediction of long-term sinus rhythm maintenance in patients with nonvalvular atrial fibrillation, 1443
Embolic events in patients with atrial fibrillation and effective anticoagulation: value of transesophageal echocardiography to guide direct-current cardioversion, 1436
Transforming growth factor-beta$_1$
Increased transforming growth factor-beta$_1$ circulating levels and production in human monocytes after 3-hydroxy-3-methyl-glutaryl-coenzyme A reductase inhibition with pravastatin, 1752
Transmyocardial laser revascularization
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220
Transmyocardial revascularization
Comparison of mechanical and laser transmyocardial revascularization for induction of angiogenesis and arteriogenesis in chronically ischemic myocardium, 1220
Continued symptomatic improvement three to five years after transmyocardial revascularization with CO_2 laser, 1588
Prospective, multicenter, randomized trial of percutaneous transmyocardial laser revascularization in patients with nonrecanalizable chronic total occlusions, 1581
Transplantation
See Heart transplantation
Transvalvular gradients
Survival after aortic valve replacement for severe aortic stenosis with low transvalvular gradients and severe left ventricular dysfunction, 1356
Trimetazidine
Acute effects of heparin administration on the ischemic threshold of patients with coronary artery disease, 413
Troponin I
Prognostic significance of elevated troponin I after percutaneous coronary intervention, 1738
Troponin T
Comparison of cardiac troponin T and creatine kinase-MB for patient evaluation after cardiac surgery, 1518
Prevalence and age-dependence of malignant mutations in the beta myosin heavy chain and troponin T genes in hypertrophic cardiomyopathy: a comprehensive outpatient perspective, 2042
Tumor necrosis factor-α
Improved myocardial ischemia/reperfusion injury in mice lacking tumor necrosis factor-α, 1229
Postprandial endothelial activation in healthy subjects and in type 2 diabetic patients: role of fat and carbohydrate meals, 1145
T-wave alternans
Onset heart rate of microvolt-level T-wave alternans provide clinical and prognostic value in nonischemic dilated cardiomyopathy, 295
Ultrasound
Abstracts, 340A
Detection of coronary stenosis and myocardial viability using a single intravenous bolus injection of BR14, 523
Dose heterogeneity may not affect the neointimal proliferation after gamma radiation for in-stent restenosis, 1937
Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery, 257
Influence of injection site, microvascular pressure and ultrasound variables on microbubble-mediated delivery of microspheres to muscle, 726
Myocardial and microcirculatory kinetics of BR14, a novel third-generation intravenous ultrasound contrast agent, 530
Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: comparison with intravascular ultrasound, 604
Unstable angina pectoris
See Angina pectoris
Valve disease
See also Aortic valve; Mitral valve
Abstracts, 416A
Prognostic model for predicting the disappearance of left atrial thrombi among candidates for percutaneous transvenous mitral commissurotomy, 886
Progression of human aortic valve stenosis is associated with tenasin-C expression, 96
Serial echocardiographic evaluation of restenosis after successful percutaneous mitral commissurotomy, 328
Survival after aortic valve replacement for severe aortic stenosis with low transvalvular gradients and severe left ventricular dysfunction, 1356
Usefulness of the Cryolife O'Brien stentless suprannular aortic valve to prevent prosthesis-patient mismatch in the small aortic root, 1845
VANQWISH trial
Revisiting the culprit lesion in non–Q-wave myocardial infarction: results from the VANQWISH Trial Angiographic Core Laboratory, 1456
Stress test criteria used in the conservative arm of the FRISC-II trial underdetects surgical coronary artery disease when applied to patients in the VANQWISH trial, 1601
Vasa vasorum
Chronic endothelin receptor antagonism prevents coronary vasa vasorum neovascularization in experimental hypercholesterolemia, 1555
Vascular closure devices
Complications of vascular closure devices—not yet evidence based (letter), 1705
Vascular disease
Abstracts, 202A
Vasomotor effects and pathophysiologic relevance of F_2-isoprostane formation in vascular diseases (letter), 554
Vascular endothelial growth factor
Atorvastatin decreases vascular endothelial growth factor in patients with coronary artery disease, 1951
Vasculopathy
Myocardial ischemia-fibrotic injury after human heart transplantation is associated with increased progression of vasculopathy, decreased cellular rejection and poor long-term outcome, 970
Role of vitronectin receptor (vß3) and tissue factor in the pathogenesis of transplant coronary vasculopathy, 804
Vasodilation
Addition of spironolactone to angiotensin-converting enzyme inhibition in heart failure improves endothelial vasomotor dysfunction, 351
Guidelines for the ultrasound assessment of endothelial-dependent flow-mediated vasodilation of the brachial artery, 257
Sympathetic activation markedly reduces endothelium-dependent, flow-mediated vasodilation, 683
Vasodilator signals from the ischemic myocardium are transduced to the coronary vascular wall by pertussis toxin-sensitive G proteins, 1859
Vasodilators
Neurohormonal activation rapidly decreases after intravenous therapy with diuretics and vasodilators for class IV heart failure, 1623
Vasopeptidase inhibitors
Comparison of the effects of an angiotensin-converting enzyme inhibitor and a vasopeptidase inhibitor after myocardial infarction in the rat, 1692
Vasopeptidase inhibition with omapatrilat in chronic heart failure: acute and long-term hemodynamic and neurohormonal effects, 2034
Ventricles
See Left ventricle; Right ventricle
Ventricular arrhythmias
Origin of ischemia-induced phase 1b ventricular arrhythmias in pig hearts, 166
Ventricular assist devices
Implantation of the permanent Jarvik-2000 left ventricular assist device, 1764
Left ventricular assist device in end-stage heart failure: persistence of structural myocyte damage after unloading, 963
Myocardial creatine kinase expression after left ventricular assist device support, 1773

Ventricular conduction delay
Chronic effect of hemodynamically optimized surface resynchronization therapy on patients with heart failure and ventricular conduction delay, 2026
Ventricular fibrillation
Biphasic waveform external defibrillation thresholds for spontaneous ventricular fibrillation secondary to acute ischemia, 359
Electrophysiologic characteristics and implications of induced ventricular fibrillation in symptomatic patients with Brugada syndrome, 1799
Endocardial wave front organization during ventricular fibrillation in humans, 109
Sudden death in patients with implantable cardioverter defibrillators, 1323
Ventricular septal defects
Long-term outcome of patients with ventricular septal defect considered not to require surgical closure during childhood, 1066
Ventricular tachyarrhythmias
Electrophysiologically guided amiodarone therapy versus the implantable cardioverter-defibrillator for sustained ventricular tachyarrhythmias after myocardial infarction, 1813
Ventricular tachycardia
Implantable defibrillator event rates in patients with idiopathic dilated cardiomyopathy, nonsustained ventricular tachycardia on holter and a left ventricular ejection fraction below 30%, 780
Repetitive monomorphic ventricular tachycardia originating from the aortic sinus cusp, 500
Sudden death in patients with implantable cardioverter defibrillators, 1323
Viruses
Detection of cardiotropic viruses in the myocardium of patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy, 892
Vitronectin receptor
Role of vitronectin receptor (vß3) and tissue factor in the pathogenesis of transplant coronary vasculopathy, 804
Women
See also Gender; Postmenopausal women
Biology of bias: practice patterns and long-term outcomes for men and women with acute myocardial infarction, 1909
Gender differences and normal left ventricular anatomy in an adult population free of hypertension, 1055
Improved outcomes for women undergoing contemporary percutaneous coronary intervention, 1608
Is early invasive treatment of unstable coronary artery disease equally effective for both women and men? (letter), 1565
Prognostic value of exercise echocardiography in 5,798 patients: is there a gender difference?, 625
Prospective study of dietary fiber intake and risk of cardiovascular disease among women, 49